





<https://verifone.cloud/docs/oakos-documentation-images>


Updated: 10-Dec-2020

OakOS documentation images





claiming-screenshot



THIS UNIT IS ALREADY CLAIMED, P

PLEASE LOGIN AT DAS

Add Environment

Oak Dashboard

	VARIABLE	INITIAL VALUE ⓘ	CURRENT VALUE ⓘ	...	Persist All	Reset All
☒	dashboardHost	dashboard.oak.host	dashboard.oak.host			
	Add a new variable					

ⓘ Use variables to reuse values in different places. The current value is used while sending a request and is never synced to Postman's servers. The initial value is auto-updated to reflect the current value. [Change this behaviour from Settings.](#) [Learn more about variable values](#) ✕

Cancel

Add



Red
50



Green
128



Blue
32



White
170



Duration (milli-seconds)
500



SEND

Add Environment

Oak Dashboard

☒	dashboardHost	dashboard.oak.host	dashboard.oak.host
☒	dashboardUser	developer	developer
☒	dashboardFQDN	zivelo.com	zivelo.com
☒	dashboardPassword	xxxxxxxxx	xxxxxxxxx
	Add a new variable		

i Use variables to reuse values in different places. The current value is used while sending a request and is never synced to Postman's servers. The initial value is auto-updated to reflect the current value. [Change this behaviour from Settings.](#) [Learn more about variable values](#) ✕

Cancel


Add


▼ August 5th 2019, 18:06:05.548 TZ: 'America/Phoenix',


Table


JSON

@timestamp	🔍 📄 🗑️ *	August 5th 2019, 18:06:05.548
fluentd_tags	🔍 📄 🗑️ *	application.app-example-0_1
hostname	🔍 📄 🗑️ *	54b2
message	🔍 📄 🗑️ *	TZ: 'America/Phoenix',
pid	🔍 📄 🗑️ *	26697
service	🔍 📄 🗑️ *	app-example-0_1
tags	🔍 📄 🗑️ *	_logz_http_bulk_json_8070
type	🔍 📄 🗑️ *	zi









Loggly | Search

https://(your-organization).loggly.com/search#terms=REMOTE_URL&from=2019-08-08T23:00

solarwinds
loggly

Search

Charts

Dashboard

Alerts

Derived Fields

Source Setup

*Default

+ New

All Sources

REMOTE_URL

Applied Filters: tag : my-loggly-tag

Field Explorer

Other

logtype

tag

tag

Field Actions

1 values2 events

my-loggly-tag2

Event Timeline

Chart

2 events

2

1

04:00 PM04:10 PM

Event View

Sort: Descending

Expand Events

2019-08-08 16:10:09.879 { json: { hostname: "54ab... http://static.oak.host/si

2019-08-08 16:10:09.672

tag: my-loggly-tag

logtype: json

http: { clientHost: 11.22.123.123 contentType: application/json }

json: { hostname: 54abcd123efg message: REMOTE_URL: 'http://static.oak.host/ pid: 3420 service: app-example-0_1 }

raw message { "hostname": "54b20313b6dc", "pid": "3420", "messag


notifications (0)




Seattle > 54b203091a11 - NUC



Memory



CPU





Screen *

DP2



Rotation *

NO_ROTATE



☒ Forward Orientation

ROTATE

SAVE

 New



 Filter

History

Collections

Trash

Dashboard

44 requests

Authentication

POST Dashboard login

Machine

Components

POST Dashboard login

- ▶ Dashboard login

POST

`http://{{dashboardHost}}/auth/email/json`

Params

Authorization

Headers (1)

Body ●

Pre-request Script

☐ none

- form-data

- ☒ x-www-form-urlencoded

- raw

- binary

KEY

VALUE

☒ email

{{dashboardUser}}

☒ password

```
{{dashboardPass
```

Key

Value

Body

Cookies (2)

Headers (14)

Test Results

Pretty

Raw

Preview

ISON

```
1 {  
2   "uid": "1RR0BgYYk0WkUY89ItbTVEZGs3J2",  
3   "email": "developer@zivelo.com",  
4   "customClaims": {  
5     "domain": "zivelo-com",  
6     "domainUser": "developer",  
7     "role": "superadmin"  
8   },  
9   "metadata": {  
10    "lastSignInTime": "Wed, 28 Nov 2018 00:07:43 GMT",  
11    "creationTime": "Tue, 27 Nov 2018 21:27:45 GMT"  
12  },  
13  "clientToken": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.  
    eyJjbGFpbXB0OnsiZGV9tYWluIjoiemlLZWxvLWNvbSIsImR  
    mdZWwswV2tVWTg5SXRiVFZFZWkdzM0oyIiwiaWF0IjoxNTQzM  
    vb2dsZWFWaXMuyY29tLTdvd2dsZS5pZGVudGl0eS5pZGVudGl  
    jNxdndAb2FrLWJhY2tlbmQuaWFtLmdzZXJ2aWNlYWYybnB3Vud  
    lcnZpY2VhY2NvdW50LmNvbSJ9.XMKjpZOrrkIOugP8IRtv81  
    Jwp61z2GWxbQmlT2trf8sB65wt8RB2CU  
    -NKex75czN680_DUPSfhHnk3B04BtjgNjUF_ZPHiDABdiQ7f  
    -Ny5Exw2DgIVYf04fxM1wnk4XQjgSkqsl7wS0HV-aMcqd8Nw  
14 }
```



Dashboards

Manage dashboards & folders



Manage



Find Dashboard by name

New Dashboard

New Folder

Import



Configuration



Data Sources



Users



Teams



Plugins



Preferences



API Keys

Filter by Starred



Filter By Tag



Configuration

Organization: Main Org.



Data Sources



Filter by name or type



Add data source



influxdb.example.com

default

http://influxdb.example.com

INFLU



Stackdriver

STACKDR



Data Sources influxdb.example.com

Type: InfluxDB

☰ Settings ▾

Name ⓘ influxdb.example.com

Default



HTTP

URL http://influxdb.example.com ⓘ

Access Server (Default) ▾

[Help ▸](#)

Whitelisted Cookies Add Name ⓘ

Auth

Basic Auth

☐

With Credentials ⓘ

☐

TLS Client Auth

☐

With CA Cert ⓘ

☐

Skip TLS Verify

☐

Forward OAuth Identity ⓘ

☐

InfluxDB Details

Database

telegraf

User

Password

Password

HTTP Method

GET ▾ ⓘ

Database Access

Setting the database for this datasource does not deny access to other databases. The InfluxDB query syntax allows switching the database in the query. For example: `SHOW MEASUREMENTS ON _internal` or

```
SELECT * FROM "_internal".. "database" LIMIT 10
```

To support data isolation and security, make sure appropriate permissions are configured in InfluxDB.

oakos screenshot