











## Wi-Fi

The following chapter provides instructions on how to configure the Wi-Fi connection on the V240m or V200c (If Wi-Fi is supported on the V200c).

Step	Instruction	Screen Information	Rebranded Screen Information
1	On the Communications Panel, select Wi-Fi on the touch screen.		
2	The terminal will then scan for available networks.		

Step	Instruction	Screen Information	Rebranded Screen Information
3	<p>Select your network from the available list.</p>	 <p>The screenshot shows a standard Android WiFi selection screen. At the top, it says 'WiFi' with a back arrow. Below are several network options, each with a signal strength indicator in brackets: [100%] VFI_LAN (highlighted in blue), [100%] VFI_GUEST, [72%] VFI_ILOBBY, [72%] VFI_DEV, and [61%] VeriSQA. At the bottom, there are 'Refresh' and 'Add' buttons.</p>	 <p>The screenshot shows a rebranded WiFi selection screen titled 'WiFi Scan'. It has a back arrow at the top. The network options are: [100%] VFI_LAN (highlighted in blue), [100%] VFI_ILOBBY, [100%] VFI_GUEST, [100%] VFI_DEV, and [94%] InternalWifi_2. At the bottom, there are 'Refresh' and 'Add' buttons.</p>
4	<p>Using the terminal keypad, enter the Wi-Fi password and press OK on the touch screen to save. Check the network details are correct and press Add on the touch screen.</p> <p>Note</p> <p>Keep pressing the number that relates to the required letter. To see small caps cycle back through on the desired number pad, as necessary.</p>	 <p>The screenshot shows a standard 'Pre-Shared-Key (PSK)' entry screen. It has a back arrow and a pencil icon. The title is 'Pre-Shared-Key (PSK)'. Below is a text input field containing 'No value entered'. At the bottom, there are 'OK' and 'Add' buttons.</p>	 <p>The screenshot shows a rebranded 'Pre-Shared-Key (PSK)' entry screen. It has a back arrow and a pencil icon. The title is 'Pre-Shared-Key (PSK)'. Below is a text input field containing 'No value entered'. At the bottom, there are 'OK' and 'Add' buttons.</p>

Step	Instruction	Screen Information	Rebranded Screen Information
5	The terminal now configures an interface.		
6	You will now be able to process transactions over the configured Wi-Fi connection. If you experience any issues, please contact the Merchant Helpdesk for support.	