• verifone

https://verifone.cloud/docs/in-person-payments/global-payment-application-gpa/gpa-intercard-userguide/setting-connection Updated: 25-Oct-2023

Wi-Fi

The following chapter provides instructions on how to configure the Wi-Fi connection on the V240m or V200c (If Wi-Fi is supported on the V200c).

Step	o Instruction		Screen Information			Rebranded Screen Informatio		
	On the Communications Panel, select Wi-Fi on the touch screen.	8* 7 1	, s	2 100% 🥅 18:34	$\langle \cdot \rangle$	78%		
		<	Communicatio	n wizard	<	Communication Pa		
1		Å	LAN	192.168.	Å	LAN		
		.atl	Mobile Data	Down	.atl	Mobile Data		
		÷	WiFi	Down	÷	WiFi		
		*	Pair device		•	USB ETH[1] Client		
		¥Å	BT LAN	Off	•4	Serial PPP		
		¥8	BT PPP Dial-Up		\$	Bluetooth		
		• USB ETH[1] Client			м	More		



Stej	p Instruction Select your network from the available list.	Screen In	formation ج_ 13:57 (13:57)	Rebranded Screen Informatio		
		< 1	NiFi	< Wi	Fi Scan	
3		[100%] VFI_LAN	I	[100%] VFI_LAN		
		[100%] VFI_GUE	EST	[100%] VFI_ILOBBY		
		[72%] VFI_ILOBBY		[100%] VFI_GUEST		
		[72%] VFI_DEV		[100%] VFI_DEV		
		[61%] VeriSQA		[94%] InternalWifi_2		
		Refresh		Refresh		

Step Instruction

4

Using the terminal keypad, enter the Wi-Fi password and press 留本平向 🛜 . 📶 🛛 28% 🚺 19:15 78% OK on the touch Pre-Shared-Key (PSK) screen to save. Check < Pre-Shared-Key (PS < the network details are correct and press Add on the touch screen. Pre-Shared-Key 🖋 Pre-Shared-Key ((PSK) Note No value ente No value entered Keep pressing the number that relates to the required letter. To see small caps cycle back through on the ОΚ OK desired number pad, as necessary.



