

## PredefinedReferenceId.hpp

```
struct PredefinedReferenceId
```

- Use these constants to present text on the terminal when requesting input. These prompts are localized by the terminal ahead of time, automatically loading the correct localized version for the described prompt.

```
static std::string const POS_PROMPT_001
```

```
static std::string const POS_PROMPT_002
```

```
static std::string const POS_PROMPT_003
```

```
static std::string const POS_PROMPT_004
```

```
static std::string const POS_PROMPT_005
```

```
static std::string const POS_PROMPT_006
```

```
static std::string const POS_PROMPT_007
```

```
static std::string const POS_PROMPT_008
```

```
static std::string const POS_PROMPT_009
```

```
static std::string const POS_PROMPT_010
```

```
static std::string const POS_PROMPT_011
```

```
static std::string const POS_PROMPT_012
```

```
static std::string const POS_PROMPT_013
```

```
static std::string const POS_PROMPT_014
```

```
static std::string const POS_PROMPT_015
```

yalty Card

```
static std::string const POS_PROMPT_016
```

```
static std::string const POS_PROMPT_017
```

```
static std::string const POS_PROMPT_018
```

```
static std::string const POS_PROMPT_019
```

```
static std::string const POS_PROMPT_020
```

```
static std::string const POS_PROMPT_021
```

```
static std::string const POS_PROMPT_022
```

```
static std::string const POS_PROMPT_023
```

```
static std::string const POS_PROMPT_024
```

```
static std::string const POS_PROMPT_025
```

```
static std::string const POS_PROMPT_026
```

```
static std::string const POS_PROMPT_027
```

- Would you like to try again?

```
static std::string const POS_PROMPT_028
```

```
static std::string const POS_PROMPT_029
```

```
static std::string const POS_PROMPT_030
```

```
static std::string const POS_PROMPT_031
```

```
static std::string const POS_PROMPT_032
```

```
static std::string const POS_PROMPT_033
```

```
static std::string const POS_PROMPT_034
```

```
static std::string const POS_PROMPT_035
```

```
static std::string const POS_PROMPT_036
```

```
static std::string const POS_PROMPT_037
```

```
static std::string const POS_PROMPT_038
```

```
static std::string const POS_PROMPT_039
```

```
static std::string const POS_PROMPT_040
```

```
static std::string const POS_PROMPT_041
```

```
static std::string const POS_PROMPT_042
```

---

<https://verifone.cloud/docs/in-person-payments/payment-software-development-kit-guide-psdk/api-reference/linux-api-84>

Updated: 22-Jul-2024

```
static std::string const POS_PROMPT_043
```

```
static std::string const POS_PROMPT_044
```

```
static std::string const POS_PROMPT_045
```

```
static std::string const POS_PROMPT_046
```

```
static std::string const POS_PROMPT_047
```

```
static std::string const POS_PROMPT_048
```

```
static std::string const POS_PROMPT_049
```

```
static std::string const POS_PROMPT_050
```

```
static std::string const POS_PROMPT_051
```

```
static std::string const POS_PROMPT_052
```

```
static std::string const POS_PROMPT_053
```

```
static std::string const POS_PROMPT_054
```

```
static std::string const POS_PROMPT_055
```

```
static std::string const POS_PROMPT_056
```

- Would you like a receipt?

```
static std::string const POS_PROMPT_057
```

```
static std::string const POS_PROMPT_058
```

```
static std::string const POS_PROMPT_059
```

```
static std::string const POS_PROMPT_060
```

```
static std::string const POS_PROMPT_061
```

- None