

VERSION

This command retrieves version information for all applications running on the payment device that are components of Point SCA.

Device UI Required: No

Request Packet

Field	Rule	Type	Minimum	Maximum	Value(s)	Description
FUNCTION_TYPE	Required	Static value	N/A	N/A	DEVICE	Type of function
COMMAND	Required	Static value	N/A	N/A	VERSION	Command name
DISPLAY_VERSION	Optional	Numeric	1	1	0 - Default 1 - Display System Information for SYSINFOINTERVAL (Application Parameters)	This is to display the retrieved version.
POS_RECON	Optional	Character	1	30		POS reconciliation. POS Reconciliation field to be echoed back in response to POS. Example: RetailPOS1
COUNTER	Required	Numeric	1	10		COUNTER is used for a given MAC label. Each COUNTER should be higher than the last one. This is used to authenticate the POS. Example: 7
MAC	Required	Base64 Encoded Data	N/A	N/A	N/A	Message Authentication Code. This is used to authenticate the POS.

Field	Rule	Type	Minimum	Maximum	Value(s)	Description
MAC_LABEL	Required	Character	1	50		Associated label that tells the device which MAC_KEY to use to decrypt the value of MAC. This is used to authenticate the POS. Example: REG1

Example

Following is an example of request packet

```
<TRANSACTION>
<FUNCTION_TYPE>DEVICE</FUNCTION_TYPE>
<COMMAND>VERSION</COMMAND>
<DISPLAY_VERSION>0</DISPLAY_VERSION> //0 - Terminal will not display system information screen when the command is received
//1 - Terminal will display system information screen when the command is received
<COUNTER>7</COUNTER>
<MAC> ... </MAC>
<MAC_LABEL>REG2</MAC_LABEL>
</TRANSACTION>
```

VERSION_INFO (Engage) Example

```
<VERSION_INFO>SCA-FDRC_VER=4.0.5-39|NAFG_VER=VoS-4.0.2-5|CAM_VER=19.01.06|ADK_VER=4.4.3-128</VERSION_INFO>
```

Response Packet

Field	Type	Value	Description
RESPONSE_TEXT	Character		Processor response text. Example: Version Information Captured or MSG_VERSION_CAPTURED (Vantiv Direct)

Field	Type	Value	Description
RESULT	Character		This indicates the Result details. Example: OK
RESULT_CODE	Numeric	Expected result code: -1, 59006, 59040	This indicates the result code. Refer to Result/Error Codes for details.
TERMINATION_STATUS	Character	SUCCESS or FAILURE	This indicates the transaction termination status. This is the overall status of the transaction irrespective of approved or declined. Like, if the output is generated then the status is SUCCESS and if no output is generated then the status will be FAILURE.
VERSION_INFO	Character		Version information for all applications running on the payment device. Engage VERSION_INFO will differ. See Example Response section below. Example: SCA_VER=V_4.0.1-13- vrx CAM_VER=V_290A11 VXCI_V ER=V_360Z VXCOM_VER=V_540 V MAC_VER=V_2.6.4 COM_VER=V_2.5.3-137 SEC_VER=V_1.4.6-541 UGP_VER=V_1.1.0-01 NAFG_VER=V_1.0.0-19
POS_RECON	Character		POS reconciliation field echoed back if sent in request. Example: RetailPOS1
COUNTER	Numeric		Echoes counter sent in the request. Example: 7

Example

Following is an example of response packet

```
<RESPONSE>
<RESPONSE_TEXT>Version Information Captured</RESPONSE_TEXT>
<RESULT>OK</RESULT>
```

```
<RESULT_CODE>-1</RESULT_CODE>
<TERMINATION_STATUS>SUCCESS</TERMINATION_STATUS>
<VERSION_INFO> SCA_VER=V_4.0.1-13-
vrX|CAM_VER=V_290A11|VXCI_VER=V_360Z|VXCOM_VER=V_540|VMAC_VER=V_2.6.4|COM_VER=V_2.5.3-137|SEC_VER=V_1.4.6-
541|UGP_VER=V_1.1.0-01|NAFG_VER=V_1.0.0-19</VERSION_INFO>
</RESPONSE>
```