

OPEN_TAB

This command opens a customer tab by performing a pre-authorization to PWC and returning the transaction IDs to the server. The message specification for Open Tab is identical to Authorize.

Device UI Required: Yes

Request Packet

Field	Rule	Type	Minimum	Maximum	Value(s)	Description
FUNCTION_TYPE	Required	Static value			PAYMENT	Type of function
COMMAND	Required	Static			OPEN_TAB	Command name
TRANS_AMOUNT	Required	Floating point number	1(2)	6(2)	Ex: 5.00	Transaction amount

Field	Rule	Type	Minimum	Maximum	Value(s)	Description
PAYMENT_TYPE	Optional	List			CREDIT GIFT PRIV_LBL	<p>When present, will bypass the consumer payment selection screen.</p> <p>Note:</p> <ul style="list-style-type: none"> • R e q u i r e d f o r V a n t i v D i r e c t (G I F T o n l y). • P o i n t C l a s s i c s

https://verifone.cloud/docs/sca-functional-specification/html/protocol_spec/restaurant_bar/open_tab

Updated: 09-Dec-2024

Field	Rule	Type	Minimum	Maximum	Value(s)	Description
AUTH_CODE	Conditional	Character	1	16	Ex: TA12605	When present, the authorization is performed offline as a VOICE_AUTH.

Note

○ C
 r
 e
 d
 i
 t
 c
 a
 r
 d
 o
 n
 l
 y
 ○ N
 o
 t
 s
 u
 p
 p
 o
 r
 t
 e
 d
 b
 y
 F
 i
 r
 s
 t
 D
 a
 t
 a
 R
 a
 p
 i

https://verifone.cloud/docs/sca-functional-specification/html/protocol_spec/restaurant_bar/open_tab

Updated: 09-Dec-2024

Field	Rule	Type	Minimum	Maximum	Value(s)	Description
MANUAL_ENTRY	Optional	Boolean			TRUE FALSE	Instructs Point to collect the account information through the keypad on the device. Any value other than TRUE is FALSE.
CUSTOMER_STREET	Optional	Character	1	20		Applicable when MANUAL_ENTRY = TRUE. Merchants should send this field only when required by the processor. Not required for customers using Point Gateway services.
CUSTOMER_ZIP	Optional	Character		9		Applicable when MANUAL_ENTRY = TRUE. Merchants should send this field only when required by the processor. Not required for customers using Point Gateway services.

Field	Rule	Type	Minimum	Maximum	Value(s)	Description
MANUAL_PROMPT_OPTIONS	Optional	Character	1	50	NOEXP	<p>Applicable when MANUAL_ENTRY = TRUE with VOICE_AUTH or OPEN_TAB. When this is present, SCA will not prompt for expiration.</p> <ul style="list-style-type: none"> •
RECURRING	Optional	Boolean	N/A	N/A	Yes or No	<p>This is used when Payment Type is Credit. This field denotes Recurring Billing Flag to indicate the transaction is recurring.</p> <p>Example: This is applicable to UGP only.</p>

Note
 CREDIT OR GIFT

Field	Rule	Type	Minimum	Maximum	Value(s)	Description
BILLPAY	Optional	Boolean	N/A	N/A	TRUE or False	This is for UGP and Vantiv Direct. This is used to indicate a bill payment.
FORCE_FLAG	Conditional	Boolean	N/A	N/A	TRUE or FALSE	Used to override duplicate checking for the transaction.

Field	Rule	Type	Minimum	Maximum	Value(s)	Description
CAPTURECARD_ EARLYRETURN	Optional	Boolean	N/A	N/A	TRUE or FALSE	<p>If TRUE, return card data to POS before processing. PCI BIN checking in place to return full PAN or masked PAN BIN range level. See example response below.</p> <ul style="list-style-type: none"> •

Note: SCA will be implemented from the swipe

https://verifone.cloud/docs/sca-functional-specification/html/protocol_spec/restaurant_bar/open_tab

Updated: 09-Dec-2024

Field	Rule	Type	Minimum	Maximum	Value(s)	Description
ENCRYPT	Conditional	Boolean	N/A	N/A	TRUE or FALSE	<p>This field is required to encrypt the PAN details before passing it on to processor/gateway. In case of P2PE encryption, this field needs to be set to TRUE as value.</p> <ul style="list-style-type: none">

Note: If this field is not present, then the application

Field	Rule	Type	Minimum	Maximum	Value(s)	Description
SCMCI_INDICATOR	Optional	Numeric			2	This field denotes the Stored Credential Transaction Indicator. The acceptable value for this field as of this publication is 2 which signifies that it is a cardholder initiated transaction.
CDD_DATA	Optional	Character	1	30		Customer Defined Data. This field is optional and the datatype is String. It is a pass through field and it is passed in the host request if this field is present in the POS request and also returned in POS response. This field is applicable for all payment transactions. Example: <CDD_DATA> INV200471</CDD_DATA>

Field	Rule	Type	Minimum	Maximum	Value(s)	Description
COL_3, COL_4, COL_5, COL_6, COL_7, COL_8, COL_9, COL_10	Optional	Character	1	255		<p>These fields represent Column 3 to Column 10. These fields are expected for the Merchants internal POS System, which will record any additional data and link those to the PWC CLIENT_ID and CTROUTD. When a value for COL_n is passed in, that same value will be returned in the response. These COL_n values are not indexed, or searchable in any command report. These fields are not sent to any payment processor.</p> <p>Example: Merchant defined data</p>
COUNTER	Required	Numeric	1	10		<p>COUNTER is used for a given MAC label. Each COUNTER should be higher than the last one. This is used to authenticate the POS. Example: 100</p>

Field	Rule	Type	Minimum	Maximum	Value(s)	Description
MAC	Required	Base64 Encoded Data				Message Authentication Code. This is used to authenticate the POS.
MAC_LABEL	Required	Character	1	50		Associated label that tells the device which MAC_KEY to use to decrypt the value of MAC. This is used to authenticate the POS. Example: REG1

level 2

Field	Rule	Type	Minimum	Maximum	Value(s)	Description
TAX_AMOUNT	Conditional	Floating point number	1(2)	6(2)		Tax amount. Example: 5.00
TAX_IND	Conditional	List			<ul style="list-style-type: none"> • 0 - Tax not provided • 2 - Tax amount equals 0.00 • 1 - Tax amount not equal to 0.00 	Tax indicator

Field	Rule	Type	Minimum	Maximum	Value(s)	Description
CMRCL_FLAG	Conditional	List			<ul style="list-style-type: none"> • B - Business • C - Corporate • P - Purchasing 	Commercial flag

Keyed Account Information for Gift Card and Credit Card Payment Types Only

Field	Rule	Type	Minimum	Maximum	Value(s)	Description
-------	------	------	---------	---------	----------	-------------

ACCT_NUM	Optional	Numeric	1	25	Ex: 6782345678131 3	This field is used to enter the account number manually. For this MANUAL_ENTRY must be set to TRUE.
						No te Pr e- sw ip e da ta wil l no t be ho no re d.
CARD_EXP_MONTH	Optional	Numeric	2	2		Card expiry month. Example: 12
CARD_EXP_YEAR	Optional	Numeric	2	2		Card expiry year. Example: 49
BARCODE	Optional	Character	1	100		Barcode scanning option.
PIN_CODE	Optional	Numeric	1	10		PIN code.
CVV2	Optional	Numeric	1	10		Card Verification Value 2.

Processor-Based Token (Conditional)
Note

For use with host based processors supporting card based token implementations.

Field	Rule	Type	Minimum	Maximum	Value(s)	Description
CARD_TOKEN	Conditional	Character	1	40		Card token is processor-based or gateway-based and can represent a unique card. Example: 7987654321098765
CARD_EXP_MONTH	Conditional	Numeric	2	2		Card expiry month details are required when sending AUTH_CODE and CARD_TOKEN. This is applicable to Point SCA First Data Rapid Connect and Direct to Vantiv implementations only.

Field	Rule	Type	Minimum	Maximum	Value(s)	Description
CARD_EXP_YEAR	Conditional	Numeric	2	2		Card expiry year details are required when sending AUTH_CODE and CARD_TOKEN. This is applicable to Point SCA First Data Rapid Connect and Direct to Vantiv implementations only.
BANK_USERDATA	Conditional	Character	1	50		Returned with CARD_TOKEN. Whatever comes back with BANK_USERDATA in the response for the token should also be sent in the request. Example: 01/00/02/Visa/
OC_INDUSTRY_C ODE	Conditional	Character	1	1	E - eCommerce M - Moto Default is empty.	This is used to convert a transaction from the Merchants default industry of Retail or Restaurant to E-Commerce or MOTO. This is applicable in case of UGP host only.

Authorization Response

Field	Type	Value	Description
-------	------	-------	-------------

RESPONSE_TEXT	Character		Processor response text. Example: APPROVED: A :AP
RESULT	Character		Commonly APPROVED or DECLINED
RESULT_CODE	Numeric	5 - Approved (RCHI/CPHI) 6 - DECLINED 59074 - Call for Auth	This indicates the result code.
RESPONSE_CODE	Character	A or E	Response code data will be returned to POS, same as received from the Host if this is present in Host response. Example: <RESPONSE_CODE>E</RESPONSE_CODE>
TERMINATION_STATUS	Character	SUCCESS or FAILURE	This indicates the transaction termination status. This is the overall status of the transaction irrespective of approved or declined. Like, if the output is generated then the status is SUCCESS and if no output is generated then the status will be FAILURE.
COUNTER	Numeric		Echoes counter sent in the request. Example: 100
TRANS_SEQ_NUM	Numeric		Processor/Batch trans sequence number. Example: 5
INTRN_SEQ_NUM	Numeric		PWC transaction ID. Example: 123456789
TROUTD	Numeric		Transaction routing ID. Example: 123456789
CTROUTD	Numeric		Client-specific Transaction routing ID. Example: 45

LPTOKEN	Numeric	Ex: 12357	LP Token is a non-sensitive unique number assigned to each unique card number processed with the UGP gateway. This value will automatically increment by one for each unique card number. This is a conditional field.
PAYMENT_MEDIA	Character	Commonly VISA/MC/DISC/AMEX/DEBIT	Mode of payment. <div style="border: 1px solid #add8e6; padding: 5px; background-color: #e6f2ff;"> <p>Note</p> <p>Value returned by device for an offline (SAF) response may differ from online.</p> </div>
PAYMENT_TYPE	Character		Type of payment (e.g., CREDIT, GIFT)
ACCT_NUM	Numeric		Returned the masked account number. Example: 400555*****0019
AUTH_CODE	Character		Processor authorization number. Example: TA0156
AVAILABLE_BALANCE	Floating point number		Available balance on the card used for transaction. This field will be returned to POS, when the Host returns the Available Balance data. SCA application sends <BALANCE_ENQ> as Host request field and based on the processor, it returns the Available Balance, and SCA will send it back to POS. Example: 1.00
APPROVED_AMOUNT	Floating point		Amount approved on authorization. Example: 5.00

ORIG_TRANS_AMOUNT	Floating point		Original transaction amount. Example: 5.00
CARD_ENTRY_MODE	Character		Refer to Card Entry Mode for details on possible values.
CARDHOLDER	Character		Returned for swiped/insert transactions. Example: MC TEST
CARD_EXP_MONTH	Numeric	Ex: 12	Card expiry month. Example: 12
CARD_EXP_YEAR	Numeric		Card expiry year. Example: 20
AVS_CODE	Character		Result of AVS check. Example: Z
CVV2_CODE	Character		Result of CVV2 check.
MERCHID	Numeric		Merchant ID. Example: 900000000123
TERMID	Numeric		Terminal ID. Example: 001
SERVER_ID	Numeric		Echoes what is sent in START request. Example: 10
CASHIER_ID	Character		Echoes what is sent in START request. Example: 10
REFERENCE	Character		Returned by some processors. Example: 100007265288
TRACE_CODE	Character		Returned by some processors for tracking purposes. Example: 119517
MERCH_DECL	Character	Values return: 100-AVS MISMATCH 200-CVV MISMATCH 300-AVS/CVV MISMATCH	Merchant decline codes will return when this is configured. It returns when declined by Host due to AVS/CVV mismatch.
MERCH_REF	Character	AVS MISMATCH CVV MISMATCH	Merchant reference will return when this is configured. It returns when declined by Host due to AVS/CVV mismatch.

AUTH_RESP_CODE	Character		Returned by some processors when the transaction is declined. Max 19 bytes. Example: 0131
SAF_NUM	Numeric		Returned instead of CTROUTD when transaction has been put in SAF. SAF number is per device. Example: 0008
RECEIPT_DATA	Character		Receipt Data
TRAN_LANG_CODE	Character	en – English fr – French es – Spanish	This field contains the language code for the current transaction which is finalized based on the configured language on terminal and language preference from the card. This field will be returned only whenever the Card data is captured from cardholder during transaction flow. If Language code is not available from card, then terminal language will be returned. This field needs to be added for the below transaction flows.
TRANS_DATE	Character		Transaction date returned. Example: 2016.09.20
TRANS_TIME	Character		Transaction time returned. Example: 09:16:25
TRAINING_MODE	Character	ON or OFF	Conditionally returned when session is in Training Mode.
VSP_CODE	Numeric	Ex: 100	If present, VSP response field. Example: 100
VSP_RESULTDESC	Character	Success or Failure	If present, VSP response field.
VSP_TRXID	Numeric		If present, VSP response field. Example: 987696060049091234

PPCV	Character		This field is sent from the Host Response to POS Response, without any change. Example: CBCC.WSI
TRACE_NUM	Numeric		This field is sent from the Host Response. This field contains the Interac Sequence number from the host. Example: 140004000000004001951
CDD_DATA	Character		Customer Defined Data field is returned in POS response when it is present in the POS request and passed in the host request. Example: <CDD_DATA> INV200471</CDD_DATA>
SIGNATUREDATA	Base 64 encoded data		Signature data.
AUTH_REF_NUMBER	Character	Example: 123456789012345, Or It can be empty	This tag returns in the host response with the value for the particular transaction. This is used by some merchants to refer to the transaction at the host side. Currently this is applicable only for Worldpay processor.
COL_3, COL_4, COL_5, COL_6, COL_7, COL_8, COL_9, COL_10	Character		Column 3 to Column 10 fields value will be echoed in POS response. These fields are not sent to any payment processor.

Processor-Based Token (Conditional)

Note

For use with host based processors supporting card based token implementations.

Field	Type	Value	Description
-------	------	-------	-------------

CARD_TOKEN	Character		Card token. Example: 7987654321098765
TOKEN_SOURCE	Character		Source of token. Example: PWC
BANK_USERDATA	Character		Bank User Data, normally returned with CARD_TOKEN. Maximum 50 alphanumeric. Example: /CustData`JANE`K`DOE`~~~~`00`

Direct to Processor Implementation Response Fields (Conditional)

Note
Not applicable to Point Classic implementations.

Field	Type	Value	Description
HOST_RESPCODE	Numeric		Will be sent if present in the host response
MERCHID	Numeric		Merchant ID
TERMID	Numeric		Terminal ID
LANE	Numeric		This is returned to identify the retail lane.

Duplicate Transaction (Conditional)

Field	Type	Value	Description
DUPLICATE_TRANSACTION	Character	1 - Duplicate transaction detected	A duplicate transaction is detected if the same card is swiped in the context of two consecutive cashless purchase transactions on the same PIN pad. DUPLICATECHECK parameter must be enabled on Engage device. Refer to SCA Configuration Guide for more details on DUPLICATECHECK parameter.