

## vficom::cmdparam::in::stk\_write::msg Namespace Reference

Namespaces	
	<a href="#">env</a>
	<a href="#">tr</a>
Enumerations	
enum	<a href="#">STKTRCommand</a> {  <a href="#">STK_TR_CMD_REFRESH</a> = 1, <a href="#">STK_TR_CMD_SETUP_EVENT_LIST</a> = 5, <a href="#">STK_TR_CMD_SELECT_ITEM</a> = 36, <a href="#">STK_TR_CMD_SETUP_MENU</a> = 37,  <a href="#">STK_TR_MAX_ENUM</a> = 0x7FFFFFFF  }
enum	<a href="#">STKENVCommand</a> { <a href="#">STK_ENV_CMD_MENU_SELECT</a> = 211, <a href="#">STK_ENV_CMD_EVENT_DOWNLOAD</a> = 214, <a href="#">STK_ENV_MAX_ENUM</a> = 0x7FFFFFFF }
Variables	
const <a href="#">COM3_DllSpec</a> char	<a href="#">usat_command</a> []
	string - "STKTR" or "STKENV" <a href="#">More...</a>
const <a href="#">COM3_DllSpec</a> char	<a href="#">proactCmd</a> []
	integer - STK Cmd (STKTR Command) <a href="#">More...</a>
const <a href="#">COM3_DllSpec</a> char	<a href="#">envCmd</a> []
	integer - STK Cmd (STKENV Command) <a href="#">More...</a>
const <a href="#">COM3_DllSpec</a> char	<a href="#">parameters</a> []
	object - Depends on usat_command and proactCmd/envCmd <a href="#">More...</a>

## Enumeration Type Documentation

### ◆ STKENVCommand

enum [STKENVCommand](#)

#### Enumerator

STK_ENV_CMD_MENU_SELECT	
STK_ENV_CMD_EVENT_DOWNLOAD	
STK_ENV_MAX_ENUM	

### ◆ STKTRCommand

enum [STKTRCommand](#)

#### Enumerator

STK_TR_CMD_REFRESH	
STK_TR_CMD_SETUP_EVENT_LIST	
STK_TR_CMD_SELECT_ITEM	
STK_TR_CMD_SETUP_MENU	
STK_TR_MAX_ENUM	

## Variable Documentation

### ◆ envCmd

const [COM3\\_DllSpec](#) char envCmd[]

integer - STK Cmd (STKENV Command)

### ◆ parameters

const [COM3\\_DllSpec](#) char parameters[]

object - Depends on usat\_command and proactCmd/envCmd

#### ◆ **proactCmd**

```
const COM3\_DllSpec char proactCmd[]
```

integer - STK Cmd (STKTR Command)

#### ◆ **usat\_command**

```
const COM3\_DllSpec char usat_command[]
```

string - "STKTR" or "STKENV"