

vficom::cmdparam::in::stk_write::msg Namespace Reference

Namespaces	
	env
	tr
Enumerations	
enum	STKTRCommand { STK_TR_CMD_REFRESH = 1, STK_TR_CMD_SETUP_EVENT_LIST = 5, STK_TR_CMD_SELECT_ITEM = 36, STK_TR_CMD_SETUP_MENU = 37, STK_TR_MAX_ENUM = 0x7FFFFFFF }
enum	STKENVCommand { STK_ENV_CMD_MENU_SELECT = 211, STK_ENV_CMD_EVENT_DOWNLOAD = 214, STK_ENV_MAX_ENUM = 0x7FFFFFFF }
Variables	
const COM3_DllSpec char	usat_command []
	string - "STKTR" or "STKENV" More...
const COM3_DllSpec char	proactCmd []
	integer - STK Cmd (STKTR Command) More...
const COM3_DllSpec char	envCmd []
	integer - STK Cmd (STKENV Command) More...
const COM3_DllSpec char	parameters []
	object - Depends on usat_command and proactCmd/envCmd More...

Enumeration Type Documentation

◆ **STKENVCommand**

enum [STKENVCommand](#)

Enumerator

STK_ENV_CMD_MENU_SELECT	
STK_ENV_CMD_EVENT_DOWNLOAD	
STK_ENV_MAX_ENUM	

◆ **STKTRCommand**

enum [STKTRCommand](#)

Enumerator

STK_TR_CMD_REFRESH	
STK_TR_CMD_SETUP_EVENT_LIST	
STK_TR_CMD_SELECT_ITEM	
STK_TR_CMD_SETUP_MENU	
STK_TR_MAX_ENUM	

Variable Documentation

◆ **envCmd**

const [COM3_DllSpec](#) char envCmd[]

integer - STK Cmd (STKENV Command)

◆ **parameters**

const [COM3_DllSpec](#) char parameters[]

object - Depends on usat_command and proactCmd/envCmd

◆ **proactCmd**

```
const COM3\_DllSpec char proactCmd[]
```

integer - STK Cmd (STKTR Command)

◆ **usat_command**

```
const COM3\_DllSpec char usat_command[]
```

string - "STKTR" or "STKENV"