



<https://verifone.cloud/docs/in-person-payments/pos-cloud-integration/payment-operations/x-and-z-report>

Updated: 05-Dec-2025

## X and Z Report

This API is used to initiate payment requests, specifying the following details:

Request Details	Values
Method	POST
URL	<a href="https://{ENVIRONMENT}/oidc/poscloud/nexo/getTotals">https://{ENVIRONMENT}/oidc/poscloud/nexo/getTotals</a>
Authorization	<a href="https://verifone.cloud/docs/in-store-payments/integration-set-terminal#step-3__003a__00a0setting-up-basic-auth-in-postman">https://verifone.cloud/docs/in-store-payments/integration-set-terminal#step-3__003a__00a0setting-up-basic-auth-in-postman</a>

### Headers:

Content-Type	application/json
x-terminal-simulator	true
x-site-entity-id	Entity ID of child to be passed in case parent token is used while calling this API.  "user-uid:api" key pair encoded in base64. See the <a href="#">Obtaining API Keys guide</a> for more information.
Authorization	

**Body > Raw** See the request example below.

Note: Need to perform a sale by passing a value in SaleTerminalData.TotalsGroupID in the Sale request, then the SaleTerminalData.TotalsGroupID value can be used to fetch the X-report. For Z report response increment TotalsGroupID value by 1 in the request. For example: X-report = 110, Z-report = 111

```
{
  "MessageHeader": {
    "MessageClass": "SERVICE",
    "MessageCategory": "GETTOTALS",
    "MessageType": "REQUEST",
    "ServiceID": "1234",
    "SaleID": "1992",
    "POIID": "GSC-A"
  },
  "GetTotalsRequest": {
    "TotalDetails": {
```

```
    "TotalsGroupID":110
  }
}
```

POS Cloud will send back the response once the data is received from the terminal, which will look something like this:

```
{
  "MessageHeader": {
    "MessageClass": "SERVICE",
    "MessageCategory": "GETTOTALS",
    "MessageType": "RESPONSE",
    "ServiceID": "1234",
    "SaleID": "1992",
    "POIID": "GSC-A"
  },
  "GetTotalsResponse": {
    "Response": {
      "Result": "SUCCESS",
      "ErrorCondition": null,
      "AdditionalResponse": null
    },
    "POIReconciliationID": null,
    "VF_ClosingSummary": [],
    "TransactionTotals": [
      {
        "PaymentInstrumentType": null,
        "AcquirerID": null,
        "ErrorCondition": null,
        "HostReconciliationID": null,
        "CardBrand": null,
        "POIID": null,
        "SaleID": null,
        "OperatorID": null,
        "ShiftNumber": null,
        "TotalsGroupID": null,
        "PaymentCurrency": null,
        "PaymentTotals": [],
        "LoyaltyUnit": null,
        "LoyaltyCurrency": null,
        "LoyaltyTotals": null
      }
    ],
    "VF_OutputContent": {
      "OutputFormat": "TEXT",
      "PredefinedContent": null,
      "OutputText": [
        {
          "Text":
"\n SETTLEMENT APPROVED\n    TERMINAL\n    12345678\n    TIME\n    01 Jan 70 05:30\n",
          "CharacterSet": null,
          "Font": null,
          "StartRow": null,
          "StartColumn": null,
        }
      ]
    }
  }
}
```

```
        "Color": null,  
        "CharacterWidth": null,  
        "CharacterHeight": null,  
        "CharacterStyle": null,  
        "Alignment": null,  
        "EndOfLineFlag": null  
    }  
],  
"OutputXHTML": null,  
"OutputBarcode": null  
}  
}
```