



https://verifone.cloud/docs/sca-functional-specification/protocol_spec/reports/last_transaction

Updated: 23-Sep-2025

Last Transaction

This command returns the last transaction processed using this device. It may be used to recover from power outages and communication failures on the device or the POS.

Note

- If you do not get a response from a payment or other transaction, run LAST_TRAN.
- For SCA 4.0 Classic Users: As of SCA 4.0.2.43 UGP 1.2.0-24, the hithostforlasttran parameter is available (default = 1). If set to 0, SCA stores the last transaction details (entire SCI response) locally in a file on the device, where LAST_TRAN will retrieve the data.
- For SCA 4.0 Vantiv Direct Users: As of SCA 4.0.2.58 VNTV 1.2.0-50, the hithostforlasttran parameter is available (default = 1). If set to 0, SCA stores the last transaction details (entire SCI response) locally in a file on the device, where LAST_TRAN will retrieve the data.

Device UI Required: No

Request Packet

Field	Rule	Type	Minimum	Maximum	Value(s)	Description
FUNCTION_TYPE	Required	Static value	N/A	N/A	REPORT	Type of function
COMMAND	Required	Static value	N/A	N/A	LAST_TRAN	Command name
POS_RECON	Optional	Character	1	30		POS reconciliation. POS Reconciliation field to be echoed back in response to POS. Example: RetailPOS1
COUNTER	Required	Numeric	1	10		COUNTER is used for a given MAC label. Each COUNTER should be higher than the last one. This is used to authenticate the POS. Example: 100
MAC	Required	Base64 Encoded Data	N/A	N/A		Message Authentication Code. This is used to authenticate the POS.

Field	Rule	Type	Minimum	Maximum	Value(s)	Description
MAC_LABEL	Required	Character	1	50		Associated label that tells the device which MAC_KEY to use to decrypt the value of MAC. This is used to authenticate the POS. Example: REG1

Multi Merchant Transaction

Refer to [Multi Merchant Support](#) for more details on this feature.

Note

For Multi Merchant transactions, either of the field is mandatory to send in POS request.

Field	Rule	Type	Minimum	Maximum	Value(s)	Description
MMACCOUNT	Conditional	Character	1	20		This field contains the Multi Merchant Account number or account name, which is used by the application to identify the correct Client ID and Device Key to be used for performing Host operations like Transactions and Reports. This field is mandatory if the device has a Multi Merchant setup on-boarding and if DEFAULTMERCHANTACCOUNT parameter is not set. Example: 123456789/ 121212/ zxcvbnmQWERTY1
MMPIN	Conditional	Character	6	6		This field contains PIN value which will be used for MACCOUNT authentication. MMPIN update and setup is handled on PWC portal. The default value is usually the same as MACCOUNT. Example: 001212/123456

Example

Following is an example of request packet

```
<TRANSACTION>
  <FUNCTION_TYPE>REPORT</FUNCTION_TYPE>
```

```

<COMMAND>LAST_TRAN</COMMAND>
<COUNTER>3</COUNTER>
<MAC> ... </MAC>
<MAC_LABEL>REG2</MAC_LABEL>
</TRANSACTION>

```

Response Packet

Field	Type	Value	Description
CLIENT_ID	Numeric		CLIENT_ID is the combination an ACCOUNT number, a SITE number, and a TERMINAL number in that order. Example: 100010001
TROUTD, CTROUTD, INTRN_SEQ_NUM, COMMAND, ACCT_NUM, CARDHOLDER, TRANS_AMOUNT, TRANS_DATE, TRANS_TIME, AUTH_AMOUNT, APPROVED_AMOUNT, STATUS_CODE, PAYMENT_MEDIA, PAYMENT_TYPE, AUTH_CODE, INVOICE, REFERENCE, SERVER_ID, VSP_TRXID, VSP_CODE, VSP_RESULTDESC, TIP_AMOUNT, MERCHID, TERMID, CARD_TOKEN, CARD_EXP_MONTH, CARD_EXP_YEAR		Refer to the examples under Sample Response.	These fields will be returned as applicable to the last transaction and as applicable to the implementation. NOTE: - STATUS_CODE is the status code of the transaction/API call. STATUS_CODE values are the same as the most common RESULT_CODE values. This applies only to Point Classic implementation. - RECEIPT_DATA is returned only when hithostforlasttran parameter is set to 0. Refer to Example for hithostforlasttran for more details on the fields returned. - POS will return the same value for COMMAND field as sent in the Request. For example, CAPTURE as COMMAND=CAPTURE.
POS_RECON	Character		POS reconciliation field. This field will return the original POS_RECON of the transaction, which are pulled by Last Transaction command. Example: RetailPOS1
COUNTER	Numeric		Echoes COUNTER sent in the request. The COUNTER value is NOT the value of COUNTER of previous transaction. It is the value of COUNTER which POS sends in the LAST_TRAN Request. Example: 100

Field	Type	Value	Description
TRAN_LANG_CODE	Conditional	• en – English • fr – French • es – Spanish	This field contains the language code for the current transaction which is finalized based on the configured language on terminal and language preference from the card. This field will be returned only whenever the Card data is captured from cardholder during transaction flow. If Language code is not available from card, then terminal language will be returned. This field needs to be added for the below transaction flows.

Transaction Performance Metric

Note

These fields are returned, if SCAPERFMETRIC parameter ([Application Parameters](#)) is enabled.

Field	Type	Value	Description
UI_TIME	Time		This indicates the time duration, for which the device screen is displayed (like error message, prompt screen, remove card screen) till any user action is performed in the command execution flow. This field is not applicable to capture the time for the Processing, Authorizing and transaction status screen. The format of the returned value would be S.sss, where S is seconds (this can be 0 to any positive integer) and sss is milliseconds. In case of any insignificant time or 0.000 value, will not be returned in the response. Example: <UI_TIME>44.028</UI_TIME>
HOST_TIME	Time		This indicates the time taken for the Connection to the host, sending request and receives data from the host. This field also take the cumulative time for multiple requests which may sent to the host during the transaction including two legged transactions, timeout requests, Auto Last Tran requests, DCC, Credit app proxy. The format of the returned value would be S.sss, where S is seconds (this can be 0 to any positive integer) and sss is milliseconds. In case of any insignificant time or 0.000 value, will not be returned in the response. Example: <HOST_TIME>1.389</HOST_TIME>
CMD_TIME	Time		This field indicates the total amount of time for a command, which is executed by the application from request received to the response sent. The format of the returned value would be S.sss, where S is seconds (this can be 0 to any positive integer) and sss is milliseconds. In case of any insignificant time or 0.000 value, will not be returned in the response. Example: <CMD_TIME>70.765</CMD_TIME>

Pre-Authorization Adjustment

Refer to [Pre-Authorization Adjustment](#) for more details on this feature.

Field	Type	Value	Description
MODIFIER	Character	Value: ADJUST	This field value will be echoed in POS response.

Field	Type	Value	Description
ADJUST_AUTHORIZED_DETAILS	Character		This field returns the details on authorised adjustment. Example: Incremental Attempted

Note

POS can use the INVOICE, TRANS_AMOUNT, and COMMAND fields from the LAST_TRAN response to verify if they match with the corresponding fields of the current transaction.

Example

Following is an example of **Response packet (Classic Implementation)**

```
<RESPONSE>
  <ACCOUNT>1</ACCOUNT>
  <SITE>0001</SITE>
  <TERM>0001</TERM>
  <COMMAND>SALE</COMMAND>
  <ACCT_NUM>401200*****0026</ACCT_NUM>
  <AUTH_CODE>095060</AUTH_CODE>
  <PAYMENT_MEDIA>VISA</PAYMENT_MEDIA>
  <PAYMENT_TYPE>CREDIT</PAYMENT_TYPE>
  <CARDHOLDER>TEST CARD VISA</CARDHOLDER>
  <CTROUTD>1351</CTROUTD>
  <TROUTD>216675</TROUTD>
  <INTRN_SEQ_NUM>216675</INTRN_SEQ_NUM>
  <TRANS_AMOUNT>1.0000</TRANS_AMOUNT>
  <TRANS_DATE>2016.09.22</TRANS_DATE>
  <TRANS_TIME>10:39:23</TRANS_TIME>
  <TRAN_LANG_CODE>en</TRAN_LANG_CODE>
  <INVOICE>123456</INVOICE>
  <STATUS_CODE>4</STATUS_CODE>
  <VSP_TRXID>636101526514</VSP_TRXID>
  <VSP_CODE>100</VSP_CODE>
  <VSP_RESULTDESC>Success</VSP_RESULTDESC>
  <COUNTER>3</COUNTER>
</RESPONSE>
```

Following is an example of **Response packet (Vantiv Direct SCA 4.0 Implementation)**

```
<RESPONSE>
  <RESULT>CAPTURED</RESULT>
  <RESULT_CODE>4</RESULT_CODE>
  <TERMINATION_STATUS>SUCCESS</TERMINATION_STATUS>
  <RESPONSE_TEXT>APPROVAL</RESPONSE_TEXT>
  <HOST_RESPCODE>000</HOST_RESPCODE>
  <TROUTD>000002</TROUTD>
```

```

<CTROUTD>250100008</CTROUTD>
<TRANS_SEQ_NUM>000002</TRANS_SEQ_NUM>
<INTRN_SEQ_NUM>000002</INTRN_SEQ_NUM>
<COMMAND>SALE</COMMAND>
<ACCT_NUM>476173*****0010</ACCT_NUM>
<CARDHOLDER>VERIFONE/DEMO</CARDHOLDER>
<TRANS_AMOUNT>1.00</TRANS_AMOUNT>
<APPROVED_AMOUNT>1.00</APPROVED_AMOUNT>
<TRANS_DATE>2017.07.21</TRANS_DATE>
<TRANS_TIME>15:06:00</TRANS_TIME>
<PAYMENT_MEDIA>VISA</PAYMENT_MEDIA>
<PAYMENT_TYPE>CREDIT</PAYMENT_TYPE>
<CARD_TOKEN>4722221551110010</CARD_TOKEN>
<AUTH_CODE>746804</AUTH_CODE>
<INVOICE>1680700</INVOICE>
<AVAILABLE_BALANCE>2008.53</AVAILABLE_BALANCE>
<MERCHID>45245245</MERCHID>
<TERMID>012</TERMID>
</RESPONSE>

```

Following is an example of **Response packet (Vantiv Direct Engage Implementation)**

```

<RESPONSE>
  <CTROUTD>250100006</CTROUTD>
  <COMMAND>SALE</COMMAND>
  <PAYMENT_TYPE>CREDIT</PAYMENT_TYPE>
  <PAYMENT_MEDIA>MC</PAYMENT_MEDIA>
  <ACCT_NUM>*****2205</ACCT_NUM>
  <AUTH_CODE>042817</AUTH_CODE>
  <APPROVED_AMOUNT>3.00</APPROVED_AMOUNT>
  <TIP_AMOUNT>0.00</TIP_AMOUNT>
  <CARDHOLDER>TEST-VOID/TEST</CARDHOLDER>
  <CARD_TOKEN>5444123456789012</CARD_TOKEN>
  <CARD_EXP_MONTH>12</CARD_EXP_MONTH>
  <CARD_EXP_YEAR>19</CARD_EXP_YEAR>
  <MERCHID>12345678</MERCHID>
  <TERMID>002</TERMID>
  <COUNTER>3</COUNTER>
</RESPONSE>

```

Example with Potential hithostforlasttran

Following is an example, when **hithostforlasttran = 1 Response Fields**

```

<RESPONSE>
  <APPROVED_AMOUNT>3.00</APPROVED_AMOUNT>
  <AUTH_CODE>111743</AUTH_CODE>
  <CARDHOLDER>UAT EUR/Test Card 12</CARDHOLDER>
  <CLIENT_ID>17345800010001</CLIENT_ID>
  <CTROUTD>50796</CTROUTD>
  <EMV_TAG_5F20>UAT EUR/Test Card 12</EMV_TAG_5F20>

```

```
<INTRN_SEQ_NUM>4014721715</INTRN_SEQ_NUM>
<INVOICE>123456</INVOICE>
<PAYMENT_MEDIA>AMEX</PAYMENT_MEDIA>
<PAYMENT_TYPE>CREDIT</PAYMENT_TYPE>
<REFERENCE>000000000029</REFERENCE>
<RESPONSE_TEXT>APPROVAL - 000 </RESPONSE_TEXT>
<RESULT_CODE>4</RESULT_CODE>
<STATUS_CODE>4</STATUS_CODE>
<TRANS_AMOUNT>3.00</TRANS_AMOUNT>
<TRANS_DATE>2022.02.08</TRANS_DATE>
<TRANS_TIME>13:09:08</TRANS_TIME>
<TROUTD>4014721715</TROUTD>
<VSP_CODE>100</VSP_CODE>
<VSP_RESULTDESC>Success</VSP_RESULTDESC>
<VSP_TRXID>637799405462</VSP_TRXID>
<COUNTER>39</COUNTER>
</RESPONSE>
```

Following is an example, when **hithostforlasttran = 0 Response Fields**

```
<RESPONSE>
  <ACCT_NUM>374245*****1003</ACCT_NUM>
  <APPROVED_AMOUNT>2.00</APPROVED_AMOUNT>
  <AUTHNWNNAME>AMEX</AUTHNWNNAME>
  <AUTHNWID>01</AUTHNWID>
  <AUTH_CODE>502561</AUTH_CODE>
  <BANK_USERDATA>AMEX</BANK_USERDATA>
  <BATCH_TRACE_ID>e7d3fa53-f231-4db5-b8b5-bb3061ed8d89</
BATCH_TRACE_ID>
  <CARDHOLDER>UAT EUR/Test Card 12</CARDHOLDER>
  <CARD_ABBRV>AX</CARD_ABBRV>
  <CARD_ENTRY_MODE>Contactless</CARD_ENTRY_MODE>
  <CARD_EXP_MONTH>12</CARD_EXP_MONTH>
  <CARD_EXP_YEAR>24</CARD_EXP_YEAR>
  <CARD_TOKEN>374245640691003</CARD_TOKEN>
  <CTROUTD>50794</CTROUTD>
  <INVOICE>123456</INVOICE>
  <EMV_CVM>NONE</EMV_CVM>
  <EMV_MODE>ISSUER</EMV_MODE>
  <EMV_TAG_4F>A000000025010402</EMV_TAG_4F>
  <EMV_TAG_50>AMERICAN EXPRESS</EMV_TAG_50>
  <EMV_TAG_5F20>UAT EUR/Test Card 12</EMV_TAG_5F20>
  <EMV_TAG_5F2A>0840</EMV_TAG_5F2A>
  <EMV_TAG_5F34>00</EMV_TAG_5F34>
  <EMV_TAG_82>1C80</EMV_TAG_82>
  <EMV_TAG_84>A000000025010402</EMV_TAG_84>
  <EMV_TAG_95>8000008000</EMV_TAG_95>
  <EMV_TAG_9A>220208</EMV_TAG_9A>
  <EMV_TAG_9B>2800</EMV_TAG_9B>
  <EMV_TAG_9C>00</EMV_TAG_9C>
  <EMV_TAG_9F02>000000000200</EMV_TAG_9F02>
  <EMV_TAG_9F03>000000000000</EMV_TAG_9F03>
  <EMV_TAG_9F06>A00000002501</EMV_TAG_9F06>
  <EMV_TAG_9F07>3D00</EMV_TAG_9F07>
  <EMV_TAG_9F08>0001</EMV_TAG_9F08>
```

```

<EMV_TAG_9F09>0001</EMV_TAG_9F09>
<EMV_TAG_9F0D>B050FC9800</EMV_TAG_9F0D>
<EMV_TAG_9F0E>0000000000</EMV_TAG_9F0E>
<EMV_TAG_9F0F>B078FC9800</EMV_TAG_9F0F>
<EMV_TAG_9F10>06020103A02000</EMV_TAG_9F10>
<EMV_TAG_9F12>American Express</EMV_TAG_9F12>
<EMV_TAG_9F1A>0840</EMV_TAG_9F1A>
<EMV_TAG_9F1E>47312282</EMV_TAG_9F1E>
<EMV_TAG_9F21>233405</EMV_TAG_9F21>
<EMV_TAG_9F26>FBF57852F7413047</EMV_TAG_9F26>
<EMV_TAG_9F27>80</EMV_TAG_9F27>
<EMV_TAG_9F33>E0F8C8</EMV_TAG_9F33>
<EMV_TAG_9F34>1F0202</EMV_TAG_9F34>
<EMV_TAG_9F35>22</EMV_TAG_9F35>
<EMV_TAG_9F36>000F</EMV_TAG_9F36>
<EMV_TAG_9F37>C4217218</EMV_TAG_9F37>
<EMV_TAG_9F39>07</EMV_TAG_9F39>
<EMV_TAG_9F40>6000F0A001</EMV_TAG_9F40>
<EMV_TAG_9F41>000000005</EMV_TAG_9F41>
<EMV_TAG_9F4E>VerifoneFD</EMV_TAG_9F4E>
<EMV_TAG_9F6E>F8E00002</EMV_TAG_9F6E>
<EMV_TAG_9FA081>80</EMV_TAG_9FA081>
<INTRN_SEQ_NUM>4014721673</INTRN_SEQ_NUM>
<MERCHID>005059233998</MERCHID>
<PAYMENT_MEDIA>AMEX</PAYMENT_MEDIA>
<PAYMENT_TYPE>CREDIT</PAYMENT_TYPE>
<REFERENCE>000000000028</REFERENCE>
<RESPONSE_TEXT>APPROVAL - 000 </RESPONSE_TEXT>
<RESULT>CAPTURED</RESULT>
<RESULT_CODE>4</RESULT_CODE>
<TAC_DEFAULT>DC50FC9800</TAC_DEFAULT>
<TAC_DENIAL>0400000000</TAC_DENIAL>
<TAC_ONLINE>0010000000</TAC_ONLINE>
<TERMID>1126076</TERMID>
<TERMINATION_STATUS>SUCCESS</TERMINATION_STATUS>
<TRACE_CODE>721673</TRACE_CODE>
<TRAINING_MODE>OFF</TRAINING_MODE>
<TRANS_AMOUNT>2.00</TRANS_AMOUNT>
<TRANS_DATE>2022.02.08</TRANS_DATE>
<TRANS_SEQ_NUM>28</TRANS_SEQ_NUM>
<TRAN_LANG_CODE>en</TRAN_LANG_CODE>
<TRANS_TIME>13:03:55</TRANS_TIME>
<TROUTD>4014721673</TROUTD>
<VSP_CODE>100</VSP_CODE>
<VSP_RESULTDESC>Success</VSP_RESULTDESC>
<VSP_TRXID>637799402530325614</VSP_TRXID>
<COUNTER>29</COUNTER>
<RECEIPT_DATA>
  <RECEIPT>
    <TEXTLINE>BED BATH BEYOND 1997
  <TEXTLINE>1997
  <TEXTLINE>650 Liberty Ave
  <TEXTLINE>UNION, NJ 07083

```


</TEXTLINE>	<TEXTLINE /> <TEXTLINE /> <TEXTLINE>02/08/22	23:34:15
</TEXTLINE>	<TEXTLINE /> <TEXTLINE>Client ID: 17345800010001	
</TEXTLINE>	<TEXTLINE>Merchant ID: *****3998	
</TEXTLINE>	<TEXTLINE>Term ID: 1126076	
</TEXTLINE>	<TEXTLINE /> <TEXTLINE /> <TEXTLINE>SALE	
</TEXTLINE>	<TEXTLINE /> <TEXTLINE>*****1003	AMEX
</TEXTLINE>	<TEXTLINE>Entry Method: Chip Read Contactless	
</TEXTLINE>	<TEXTLINE /> <TEXTLINE>Appr Code: 502561	
</TEXTLINE>	<TEXTLINE>Transaction ID: 50794	
</TEXTLINE>	<TEXTLINE>Payment Type: CREDIT	
</TEXTLINE>	<TEXTLINE>Cardholder: UAT EUR/Test Card 12	
</TEXTLINE>	<TEXTLINE>Application Pan:*****1003	
</TEXTLINE>	<TEXTLINE>Invoice: 123456	
</TEXTLINE>	<TEXTLINE>Mode:Issuer	
</TEXTLINE>	<TEXTLINE>Result:CAPTURED	
</TEXTLINE>	<TEXTLINE>Net ID:01	
</TEXTLINE>	<TEXTLINE>Net Name:AMEX	
</TEXTLINE>	<TEXTLINE>Approved Amount:USD \$2.00	
</TEXTLINE>	<TEXTLINE>Ref: 000000000028	
</TEXTLINE>	<TEXTLINE>Response: APPROVAL - 000	
</TEXTLINE>	<TEXTLINE>Approved: Online	
</TEXTLINE>	<TEXTLINE>CID Code:0x80 (ARQC)	
</TEXTLINE>	<TEXTLINE /> <TEXTLINE>American Express	
</TEXTLINE>	<TEXTLINE>SEQUENCE: 00000005	
</TEXTLINE>	<TEXTLINE>AID: A000000025010402	

</TEXTLINE>
<TEXTLINE>TVR: 8000008000
</TEXTLINE>
<TEXTLINE>TSI: 2800
</TEXTLINE>
<TEXTLINE>AC: FBF57852F7413047
</TEXTLINE>
<TEXTLINE>IAD: 06020103A02000
<TEXTLINE />
<TEXTLINE>Total: USD \$ 2.00
</TEXTLINE>
<TEXTLINE />
<TEXTLINE />
<TEXTLINE />
<TEXTLINE />
<TEXTLINE />
<TEXTLINE />
<TEXTLINE> NO SIGNATURE REQUIRED
</TEXTLINE>
<TEXTLINE />
<TEXTLINE />
<TEXTLINE> No Refunds
</TEXTLINE>
<TEXTLINE> Store Credit Only
</TEXTLINE>
<TEXTLINE />
<TEXTLINE> Merchant Copy
</TEXTLINE>
<TEXTLINE />
<TEXTLINE />
<TEXTLINE />
<TEXTLINE />
</RECEIPT>
<RECEIPT>
<TEXTLINE> BED BATH BEYOND 1997
</TEXTLINE>
<TEXTLINE> 1997
</TEXTLINE>
<TEXTLINE> 650 Liberty Ave
</TEXTLINE>
<TEXTLINE> UNION, NJ 07083
</TEXTLINE>
<TEXTLINE />
<TEXTLINE />
<TEXTLINE>02/08/22 23:34:16
</TEXTLINE>
<TEXTLINE />
<TEXTLINE>Client ID: 17345800010001
</TEXTLINE>
<TEXTLINE>Merchant ID: *****3998
</TEXTLINE>
<TEXTLINE>Term ID: 1126076
</TEXTLINE>
<TEXTLINE />
<TEXTLINE />
<TEXTLINE> SALE

</TEXTLINE>	<TEXTLINE />		
</TEXTLINE>	<TEXTLINE>*****1003		AMEX
</TEXTLINE>	<TEXTLINE>Entry Method: Chip Read Contactless		
</TEXTLINE>	<TEXTLINE />		
</TEXTLINE>	<TEXTLINE>Appr Code: 502561		
</TEXTLINE>	<TEXTLINE>Transaction ID: 50794		
</TEXTLINE>	<TEXTLINE>Payment Type: CREDIT		
</TEXTLINE>	<TEXTLINE>Cardholder: UAT EUR/Test Card 12		
</TEXTLINE>	<TEXTLINE>Application Pan:*****1003		
</TEXTLINE>	<TEXTLINE>Invoice: 123456		
</TEXTLINE>	<TEXTLINE>Mode:Issuer		
</TEXTLINE>	<TEXTLINE>Result:CAPTURED		
</TEXTLINE>	<TEXTLINE>Net ID:01		
</TEXTLINE>	<TEXTLINE>Net Name:AMEX		
</TEXTLINE>	<TEXTLINE>Approved Amount:USD \$2.00		
</TEXTLINE>	<TEXTLINE>Ref: 000000000028		
</TEXTLINE>	<TEXTLINE>Response: APPROVAL - 000		
</TEXTLINE>	<TEXTLINE>Approved: Online		
</TEXTLINE>	<TEXTLINE>CID Code:0x80 (ARQC)		
</TEXTLINE>	<TEXTLINE />		
</TEXTLINE>	<TEXTLINE>American Express		
</TEXTLINE>	<TEXTLINE>SEQUENCE: 00000005		
</TEXTLINE>	<TEXTLINE>AID: A000000025010402		
</TEXTLINE>	<TEXTLINE>TVR: 8000008000		
</TEXTLINE>	<TEXTLINE>TSI: 2800		
</TEXTLINE>	<TEXTLINE>AC: FBF57852F7413047		
</TEXTLINE>	<TEXTLINE>IAD: 06020103A02000		
</TEXTLINE>	<TEXTLINE />		
</TEXTLINE>	<TEXTLINE>Total:	USD \$	2.00
	<TEXTLINE />		
	<TEXTLINE />		

	<TEXTLINE />	
	<TEXTLINE />	
	<TEXTLINE />	
	<TEXTLINE />	
	<TEXTLINE>	No Refunds
</TEXTLINE>		
	<TEXTLINE>	Store Credit Only
</TEXTLINE>		
	<TEXTLINE />	
	<TEXTLINE />	
	<TEXTLINE>	Customer Copy
</TEXTLINE>		
	<TEXTLINE />	
	<TEXTLINE />	
	<TEXTLINE />	
	<TEXTLINE />	
	</RECEIPT>	
	</RECEIPT_DATA>	
</RESPONSE>		