




















LAN

Step	Screen	Rebranded Screen	Instruction
1.0			<p>Terminal prompts to select the desired communication mode.</p> <p>Select LAN.</p>
1.1			<p>Terminal prompts to select option for dynamic DHCP configuration.</p> <ul style="list-style-type: none"> • If Yes is selected, proceed to step 1.2. • If No is selected, proceed to step 1.4.

Step	Screen	Rebranded Screen	Instruction
1.2			Terminal displays that dynamic DHCP configuration is ongoing.
1.3			<ul style="list-style-type: none"> Terminal displays that dynamic DHCP interface configuration is successfully done. <ul style="list-style-type: none"> If  key is pressed, proceed to step 1.1.

Step	Screen	Rebranded Screen	Instruction
1.4			<ul style="list-style-type: none"> Terminal prompts to enter the IP address for communication. Proceed to the next step. <ul style="list-style-type: none"> If timeout happens, goes back to step 1.1.
1.5			<ul style="list-style-type: none"> Terminal prompts to enter the subnet mask value for communication configuration. Proceed to the next step. <ul style="list-style-type: none"> If timeout happens, goes back to step 1.1.

Step	Screen	Rebranded Screen	Instruction
1.6			<ul style="list-style-type: none"> Terminal prompts to enter the gateway IP address value. Proceed to the next step. <ul style="list-style-type: none"> If timeout happens, goes back to step 1.1.
1.7			<ul style="list-style-type: none"> Terminal prompts to enter the primary DNS value. Proceed to the next step. <ul style="list-style-type: none"> If timeout happens, goes back to step 1.1.

Step	Screen	Rebranded Screen	Instruction
1.8			<ul style="list-style-type: none"> Terminal prompts to enter the secondary DNS value. The LAN connection is successful. The terminal goes back to 1.1. <ul style="list-style-type: none"> If timeout happens , goes back to step 1.1.