

packmanlib.basenode Namespace Reference

Data Structures

class [BaseNode](#)

Variables

string [NODE_TYPE_PACKAGE](#) = "Package"
string [NODE_TYPE_BUNDLE](#) = "Bundle"
string [NODE_TYPE_DLFILE](#) = "Dlfile"
string [NODE_TYPE_SIGNATURE](#) = "Signature"
string [NODE_TYPE_CONTROL](#) = "Control"
string [NODE_TYPE_VHQMANIFEST](#) = "VHQManifest"
string [NODE_TYPE_MANIFEST](#) = "Manifest"
string [NODE_TYPE_CHANGESET](#) = "Changeset"
string [NODE_TYPE_FILE](#) = "File"
string [NODE_TYPE_DIR](#) = "Dir"
string [NODE_TYPE_SYMLINK](#) = "Symlink"
string [NODE_TYPE_UNKNOWN](#) = "Unknown"
string [NODE_TYPE_BUNDLE_INFO](#) = "BundleInfo"
string [NODE_TYPE_CHANGESET_DATA](#) = "ChangesetData"
list [NODE_TYPE_ARCHIVES](#)

Variable Documentation

[?](#) [NODE_TYPE_ARCHIVES](#)

list [NODE_TYPE_ARCHIVES](#)

Initial value:

1Â = [NODE_TYPE_PACKAGE, NODE_TYPE_BUNDLE, NODE_TYPE_DLFILE, 2Â

? NODE_TYPE_BUNDLE

string NODE_TYPE_BUNDLE = "Bundle"

? NODE_TYPE_BUNDLE_INFO

string NODE_TYPE_BUNDLE_INFO = "BundleInfo"

? NODE_TYPE_CHANGESET

string NODE_TYPE_CHANGESET = "Changeset"

? NODE_TYPE_CHANGESET_DATA

string NODE_TYPE_CHANGESET_DATA = "ChangesetData"

? NODE_TYPE_CONTROL

string NODE_TYPE_CONTROL = "Control"

? NODE_TYPE_DIR

string NODE_TYPE_DIR = "Dir"

? NODE_TYPE_DLFILE

string NODE_TYPE_DLFILE = "Dlfile"

? NODE_TYPE_FILE

string NODE_TYPE_FILE = "File"

? NODE_TYPE_MANIFEST

string NODE_TYPE_MANIFEST = "Manifest"

? NODE_TYPE_PACKAGE

```
string NODE_TYPE_PACKAGE = "Package"
```

? NODE_TYPE_SIGNATURE

```
string NODE_TYPE_SIGNATURE = "Signature"
```

? NODE_TYPE_SYMLINK

```
string NODE_TYPE_SYMLINK = "Symlink"
```

? NODE_TYPE_UNKNOWN

```
string NODE_TYPE_UNKNOWN = "Unknown"
```

? NODE_TYPE_VHQMAMIFEST

```
string NODE_TYPE_VHQMAMIFEST = "VHQManifest"
```