

sdi_text Namespace Reference

Functions

unsigned int [getInternalTextId](#) (unsigned int EmvTextId)

Variables

```
const
char * sdiTextMappingTable []

const
char SDI\_NO\_TXT [] = "txt_sdi_no_txt"

const
char SDI\_REFUND\_CONF\_AMOUNT [] = "txt_sdi_refund_conf_amount"

const
char SDI\_AMOUNT [] = "txt_sdi_amount"

const
char SDI\_APPROVED [] = "txt_sdi_approved"

const
char SDI\_DECLINED [] = "txt_sdi_declined"

const
char SDI\_NOT\_ACCEPTED [] = "txt_sdi_not_accepted"

const
char SDI\_CARD\_ERROR [] = "txt_sdi_card_error"

const
char SDI\_PROCESSING\_ERROR [] = "txt_sdi_processing_error"

const
char SDI\_CARD\_READ\_OK [] = "txt_sdi_card_read_ok"

const
char SDI\_AUTHORIZING [] = "txt_sdi_authorizing"

const
char SDI\_REMOVE\_CARD [] = "txt_sdi_remove_card"

const
char SDI\_USE\_CHIP\_READER [] = "txt_sdi_use_chip_reader"
```

```
const char SDI\_USE\_MAG\_STRIPE [] = "txt_sdi_use_mag_stripe"
const char SDI\_VOICEAUT [] = "txt_sdi_voiceaut"
const char SDI\_SEE\_PHONE [] = "txt_sdi_see_phone"
const char SDI\_RETAP [] = "txt_sdi_retap"
const char SDI\_RETAP\_L1 [] = "txt_sdi_retap_l1"
const char SDI\_2\_CARDS\_IN\_FIELD [] = "txt_sdi_2_cards_in_field"
const char SDI\_3AMO\_TIP [] = "txt_sdi_3amo_tip"
const char SDI\_3AMO\_CASHBACK [] = "txt_sdi_3amo_cashback"
const char SDI\_AUTH\_APPROVED [] = "txt_sdi_auth_approved"
const char SDI\_AUTH\_DECLINED [] = "txt_sdi_auth_declined"
const char SDI\_INVALID\_PIN [] = "txt_sdi_invalid_pin"
const char SDI\_SELECT\_APPLICATION [] = "txt_sdi_select_application"
const char SDI\_IDLE\_SCREEN [] = "txt_sdi_idle_screen"
const char SDI\_LAST\_PIN\_TRY [] = "txt_sdi_last_pin_try"
const char SDI\_SECURE\_INPUT\_01\_POSTAL\_CODE [] = "txt_sdi_secure_input_01_postal_code"
const char SDI\_SECURE\_INPUT\_02\_CVV [] = "txt_sdi_secure_input_02_cvv"
const char SDI\_SECURE\_INPUT\_03\_DATE\_OF\_BIRTH [] = "txt_sdi_secure_input_03_date_of_birth"
const char SDI\_SECURE\_INPUT\_04\_SSN [] = "txt_sdi_secure_input_04_ssn"
const char SDI\_SECURE\_INPUT\_05\_LAST\_4\_OF\_SSN [] = "txt_sdi_secure_input_05_last_4_of_ssn"
const char SDI\_SECURE\_INPUT\_FC\_CARD\_NUMBER [] = "txt_sdi_secure_input_fc_card_number"
const char SDI\_SECURE\_INPUT\_FD\_EXPIRY\_DATE [] = "txt_sdi_secure_input_fd_expiry_date"
const char SDI\_SECURE\_INPUT\_FE\_MANUAL\_CARD\_ENTRY\_WITHOUT\_CVV [] =
"txt_sdi_secure_input_fe_manual_card_entry_without_cvv"
```

```
const SDI\_SECURE\_INPUT\_FF\_MANUAL\_CARD\_ENTRY [] =  
char "txt_sdi_secure_input_ff_manual_card_entry"  
  
const SDI\_INSERT\_CARD [] = "txt_sdi_insert_card"  
char  
  
const SDI\_SWIPE\_CARD [] = "txt_sdi_swipe_card"  
char  
  
const SDI\_TAP\_CARD [] = "txt_sdi_tap_card"  
char  
  
const SDI\_INSERT\_SWIPE\_CARD [] = "txt_sdi_insert_swipe_card"  
char  
  
const SDI\_INSERT\_TAP\_CARD [] = "txt_sdi_insert_tap_card"  
char  
  
const SDI\_SWIPE\_TAP\_CARD [] = "txt_sdi_swipe_tap_card"  
char  
  
const SDI\_INSERT\_SWIPE\_TAP\_CARD [] = "txt_sdi_insert_swipe_tap_card"  
char  
  
const SDI\_PLEASE\_WAIT [] = "txt_sdi_please_wait"  
char  
  
const SDI\_INVALID\_PIN\_TRY\_AGAIN [] = "txt_sdi_invalid_pin_try_again"  
char  
  
const SDI\_INVALID\_PIN\_LAST\_PIN\_TRY [] = "txt_sdi_invalid_pin_last_pin_try"  
char  
  
const SDI\_SECURE\_INPUT\_06\_VERIFY\_POSTAL\_CODE [] =  
char "txt_sdi_secure_input_06_verify_postal_code"  
  
const SDI\_SECURE\_INPUT\_07\_VERIFY\_CVV [] = "txt_sdi_secure_input_07_verify_cvv"  
char  
  
const SDI\_SECURE\_INPUT\_08\_VERIFY\_DATE\_OF\_BIRTH [] =  
char "txt_sdi_secure_input_08_verify_date_of_birth"  
  
const SDI\_SECURE\_INPUT\_09\_VERIFY\_SSN [] = "txt_sdi_secure_input_09_verify_ssn"  
char  
  
const SDI\_SECURE\_INPUT\_0A\_VERIFY\_LAST\_4\_OF\_SSN [] =  
char "txt_sdi_secure_input_0a_verify_last_4_of_ssn"  
  
const SDI\_INIT\_FAILED [] = "txt_sdi_init_failed"  
char  
  
const SDI\_INSERT\_CARD\_FALLBACK [] = "txt_sdi_insert_card_fallback"  
char  
  
const SDI\_INSERT\_CARD\_RETRY [] = "txt_sdi_insert_card_retry"  
char  
  
const SDI\_SWIPE\_CARD\_FALLBACK [] = "txt_sdi_swipe_card_fallback"  
char  
  
const SDI\_AMOUNT\_INSERT\_CARD [] = "txt_sdi_amount_insert_card"  
char  
  
const SDI\_AMOUNT\_INSERT\_CARD\_RETRY [] = "txt_sdi_amount_insert_card_retry"  
char
```

```
const char SDI\_AMOUNT\_INSERT\_CARD\_FALLBACK [] = "txt_sdi_amount_insert_card_fallback"
const char SDI\_AMOUNT\_SWIPE\_CARD [] = "txt_sdi_amount_swipe_card"
const char SDI\_AMOUNT\_SWIPE\_CARD\_FALLBACK [] = "txt_sdi_amount_swipe_card_fallback"
const char SDI\_AMOUNT\_INSERT\_SWIPE\_CARD [] = "txt_sdi_amount_insert_swipe_card"
const char SDI\_AMOUNT\_TAP\_CARD [] = "txt_sdi_amount_tap_card"
const char SDI\_AMOUNT\_INSERT\_TAP\_CARD [] = "txt_sdi_amount_insert_tap_card"
const char SDI\_AMOUNT\_SWIPE\_TAP\_CARD [] = "txt_sdi_amount_swipe_tap_card"
const char SDI\_AMOUNT\_INSERT\_SWIPE\_TAP\_CARD [] = "txt_sdi_amount_insert_swipe_tap_card"
const char SDI\_SIGNATURE [] = "txt_sdi_signature"
const char SDI\_SEL\_COM\_IF [] = "txt_sdi_sel_com_if"
const char SDI\_SECURE\_INPUT\_0B GRATUITY\_AMOUNT [] = "txt_sdi_secure_input_0b_gratuity_amount"
const char SDI\_SECURE\_INPUT\_0C GRATUITY\_PERCENTAGE [] =
"txt_sdi_secure_input_0c_gratuity_percentage"
const char SDI\_SECURE\_INPUT\_0D CASHBACK\_AMOUNT [] =
"txt_sdi_secure_input_0d_cashback_amount"
const char SDI\_SECURE\_DISP\_AMOUNT\_AND\_INPUT\_0E TIP [] =
"txt_sdi_secure_disp_amount_and_input_0e_tip"
const char SDI\_DECIMAL\_SEPARATOR [] = "decimal_separator"
const char SDI\_THOUSAND\_SEPARATOR [] = "thousand_separator"
const char SDI\_TRX\_TYPE\_PURCHASE [] = "txt_sdi_trx_type_purchase"
const char SDI\_TRX\_TYPE\_CASH\_ADVANCE [] = "txt_sdi_trx_type_cash_advance"
const char SDI\_TRX\_TYPE\_CASHBACK [] = "txt_sdi_trx_type_cashback"
const char SDI\_TRX\_TYPE\_REFUND [] = "txt_sdi_trx_type_refund"
const char SDI\_BYPASS\_ENTER [] = "txt_sdi_bypass_enter"
const char SDI\_BYPASS\_CLEAR [] = "txt_sdi_bypass_clear"
```

```

const char SDI\_BYPASS\_ENTER\_CLEAR [] = "txt_sdi_bypass_enter_clear"
const char SDI\_PINMSG [] = "txt_sdi_pinmsg"
const char SDI\_PINMSG\_AMOUNT [] = "txt_sdi_pinmsg_amount"
const char SDI\_PINMSG\_BYPASS [] = "txt_sdi_pinmsg_bypass"
const char SDI\_PINMSG\_AMOUNT\_BYPASS [] = "txt_sdi_pinmsg_amount_bypass"
const char SDI\_PINMSG\_PREFNAME [] = "txt_sdi_pinmsg_prefname"
const char SDI\_PINMSG\_AMOUNT\_PREFNAME [] = "txt_sdi_pinmsg_amount_prefname"
const char SDI\_PINMSG\_BYPASS\_PREFNAME [] = "txt_sdi_pinmsg_bypass_prefname"
const char SDI\_PINMSG\_AMOUNT\_BYPASS\_PREFNAME [] = "txt_sdi_pinmsg_amount_bypass_prefname"
const char SDI\_SECURE\_INPUT\_OF\_EMAIL\_ADDR [] = "txt_sdi_secure_input_of_email_addr"
const char SDI\_SECURE\_INPUT\_10\_PHONE\_NBR [] = "txt_sdi_secure_input_10_phone_nbr"

```

Detailed Description

Automatically generated file. DO NOT MODIFY

Function Documentation

[?](#) `getInternalTextId()`

unsigned int getInternalTextId (unsigned int *EmvTextId*)

Get the requested internal Text Id corresponding to the EMV Text ID

Parameters

[in] EmvTextId Id of the EMV Text

Returns

Id of the corresponding internal Text Id

Variable Documentation

? SDI_2_CARDS_IN_FIELD

```
const char SDI_2_CARDS_IN_FIELD = "txt_sdi_2_cards_in_field"
```

? SDI_3AMO_CASHBACK

```
const char SDI_3AMO_CASHBACK = "txt_sdi_3amo_cashback"
```

? SDI_3AMO_TIP

```
const char SDI_3AMO_TIP = "txt_sdi_3amo_tip"
```

? SDI_AMOUNT

```
const char SDI_AMOUNT = "txt_sdi_amount"
```

? SDI_AMOUNT_INSERT_CARD

```
const char SDI_AMOUNT_INSERT_CARD = "txt_sdi_amount_insert_card"
```

? SDI_AMOUNT_INSERT_CARD_FALLBACK

```
const char SDI_AMOUNT_INSERT_CARD_FALLBACK = "txt_sdi_amount_insert_card_fallback"
```

? SDI_AMOUNT_INSERT_CARD_RETRY

```
const char SDI_AMOUNT_INSERT_CARD_RETRY = "txt_sdi_amount_insert_card_retry"
```

? SDI_AMOUNT_INSERT_SWIPE_CARD

```
const char SDI_AMOUNT_INSERT_SWIPE_CARD = "txt_sdi_amount_insert_swipe_card"
```

? SDI_AMOUNT_INSERT_SWIPE_TAP_CARD

```
const char SDI_AMOUNT_INSERT_SWIPE_TAP_CARD = "txt_sdi_amount_insert_swipe_tap_card"
```

? SDI_AMOUNT_INSERT_TAP_CARD

```
const char SDI_AMOUNT_INSERT_TAP_CARD = "txt_sdi_amount_insert_tap_card"
```

? SDI_AMOUNT_SWIPE_CARD

```
const char SDI_AMOUNT_SWIPE_CARD = "txt_sdi_amount_swipe_card"
```

? SDI_AMOUNT_SWIPE_CARD_FALLBACK

```
const char SDI_AMOUNT_SWIPE_CARD_FALLBACK = "txt_sdi_amount_swipe_card_fallback"
```

? SDI_AMOUNT_SWIPE_TAP_CARD

```
const char SDI_AMOUNT_SWIPE_TAP_CARD = "txt_sdi_amount_swipe_tap_card"
```

? SDI_AMOUNT_TAP_CARD

```
const char SDI_AMOUNT_TAP_CARD = "txt_sdi_amount_tap_card"
```

? SDI_APPROVED

```
const char SDI_APPROVED = "txt_sdi_approved"
```

? SDI_AUTH_APPROVED

```
const char SDI_AUTH_APPROVED = "txt_sdi_auth_approved"
```

? SDI_AUTH_DECLINED

```
const char SDI_AUTH_DECLINED = "txt_sdi_auth_declined"
```

? SDI_AUTHORIZING

```
const char SDI_AUTHORIZING = "txt_sdi_authorizing"
```

? SDI_BYPASS_CLEAR

```
const char SDI_BYPASS_CLEAR = "txt_sdi_bypass_clear"
```

? SDI_BYPASS_ENTER

```
const char SDI_BYPASS_ENTER = "txt_sdi_bypass_enter"
```

? SDI_BYPASS_ENTER_CLEAR

```
const char SDI_BYPASS_ENTER_CLEAR = "txt_sdi_bypass_enter_clear"
```

? SDI_CARD_ERROR

```
const char SDI_CARD_ERROR = "txt_sdi_card_error"
```

? SDI_CARD_READ_OK

```
const char SDI_CARD_READ_OK = "txt_sdi_card_read_ok"
```

? SDI_DECIMAL_SEPARATOR

```
const char SDI_DECIMAL_SEPARATOR = "decimal_separator"
```

? SDI_DECLINED

```
const char SDI_DECLINED = "txt_sdi_declined"
```

? SDI_IDLE_SCREEN

```
const char SDI_IDLE_SCREEN = "txt_sdi_idle_screen"
```

? SDI_INIT_FAILED

```
const char SDI_INIT_FAILED = "txt_sdi_init_failed"
```

? SDI_INSERT_CARD

```
const char SDI_INSERT_CARD = "txt_sdi_insert_card"
```


? SDI_INSERT_CARD_FALLBACK

```
const char SDI_INSERT_CARD_FALLBACK = "txt_sdi_insert_card_fallback"
```

? SDI_INSERT_CARD_RETRY

```
const char SDI_INSERT_CARD_RETRY = "txt_sdi_insert_card_retry"
```

? SDI_INSERT_SWIPE_CARD

```
const char SDI_INSERT_SWIPE_CARD = "txt_sdi_insert_swipe_card"
```

? SDI_INSERT_SWIPE_TAP_CARD

```
const char SDI_INSERT_SWIPE_TAP_CARD = "txt_sdi_insert_swipe_tap_card"
```

? SDI_INSERT_TAP_CARD

```
const char SDI_INSERT_TAP_CARD = "txt_sdi_insert_tap_card"
```

? SDI_INVALID_PIN

```
const char SDI_INVALID_PIN = "txt_sdi_invalid_pin"
```

? SDI_INVALID_PIN_LAST_PIN_TRY

```
const char SDI_INVALID_PIN_LAST_PIN_TRY = "txt_sdi_invalid_pin_last_pin_try"
```

? SDI_INVALID_PIN_TRY_AGAIN

```
const char SDI_INVALID_PIN_TRY_AGAIN = "txt_sdi_invalid_pin_try_again"
```

? SDI_LAST_PIN_TRY

```
const char SDI_LAST_PIN_TRY = "txt_sdi_last_pin_try"
```

? SDI_NO_TXT

```
const char SDI_NO_TXT = "txt_sdi_no_txt"
```

? SDI_NOT_ACCEPTED

```
const char SDI_NOT_ACCEPTED = "txt_sdi_not_accepted"
```

? SDI_PINMSG

```
const char SDI_PINMSG = "txt_sdi_pinmsg"
```

? SDI_PINMSG_AMOUNT

```
const char SDI_PINMSG_AMOUNT = "txt_sdi_pinmsg_amount"
```

? SDI_PINMSG_AMOUNT_BYPASS

```
const char SDI_PINMSG_AMOUNT_BYPASS = "txt_sdi_pinmsg_amount_bypass"
```

? SDI_PINMSG_AMOUNT_BYPASS_PREFNAME

```
const char SDI_PINMSG_AMOUNT_BYPASS_PREFNAME = "txt_sdi_pinmsg_amount_bypass_prefname"
```

? SDI_PINMSG_AMOUNT_PREFNAME

```
const char SDI_PINMSG_AMOUNT_PREFNAME = "txt_sdi_pinmsg_amount_prefname"
```

? SDI_PINMSG_BYPASS

```
const char SDI_PINMSG_BYPASS = "txt_sdi_pinmsg_bypass"
```

? SDI_PINMSG_BYPASS_PREFNAME

```
const char SDI_PINMSG_BYPASS_PREFNAME = "txt_sdi_pinmsg_bypass_prefname"
```

? SDI_PINMSG_PREFNAME

```
const char SDI_PINMSG_PREFNAME = "txt_sdi_pinmsg_prefname"
```

? SDI_PLEASE_WAIT

```
const char SDI_PLEASE_WAIT = "txt_sdi_please_wait"
```

? SDI_PROCESSING_ERROR

```
const char SDI_PROCESSING_ERROR = "txt_sdi_processing_error"
```

? SDI_REFUND_CONF_AMOUNT

```
const char SDI_REFUND_CONF_AMOUNT = "txt_sdi_refund_conf_amount"
```

? SDI_REMOVE_CARD

```
const char SDI_REMOVE_CARD = "txt_sdi_remove_card"
```

? SDI_RETAP

```
const char SDI_RETAP = "txt_sdi_retap"
```

? SDI_RETAP_L1

```
const char SDI_RETAP_L1 = "txt_sdi_retap_l1"
```

? SDI_SECURE_DISP_AMOUNT_AND_INPUT_0E_TIP

```
const char SDI_SECURE_DISP_AMOUNT_AND_INPUT_0E_TIP =  
"txt_sdi_secure_disp_amount_and_input_0e_tip"
```

? SDI_SECURE_INPUT_01_POSTAL_CODE

```
const char SDI_SECURE_INPUT_01_POSTAL_CODE = "txt_sdi_secure_input_01_postal_code"
```

? SDI_SECURE_INPUT_02_CVV

```
const char SDI_SECURE_INPUT_02_CVV = "txt_sdi_secure_input_02_cvv"
```

? SDI_SECURE_INPUT_03_DATE_OF_BIRTH

```
const char SDI_SECURE_INPUT_03_DATE_OF_BIRTH = "txt_sdi_secure_input_03_date_of_birth"
```

? SDI_SECURE_INPUT_04_SSN

```
const char SDI_SECURE_INPUT_04_SSN = "txt_sdi_secure_input_04_ssn"
```

? SDI_SECURE_INPUT_05_LAST_4_OF_SSN

```
const char SDI_SECURE_INPUT_05_LAST_4_OF_SSN = "txt_sdi_secure_input_05_last_4_of_ssn"
```

? SDI_SECURE_INPUT_06_VERIFY_POSTAL_CODE

```
const char SDI_SECURE_INPUT_06_VERIFY_POSTAL_CODE =  
"txt_sdi_secure_input_06_verify_postal_code"
```

? SDI_SECURE_INPUT_07_VERIFY_CVV

```
const char SDI_SECURE_INPUT_07_VERIFY_CVV = "txt_sdi_secure_input_07_verify_cvv"
```

? SDI_SECURE_INPUT_08_VERIFY_DATE_OF_BIRTH

```
const char SDI_SECURE_INPUT_08_VERIFY_DATE_OF_BIRTH =  
"txt_sdi_secure_input_08_verify_date_of_birth"
```

? SDI_SECURE_INPUT_09_VERIFY_SSN

```
const char SDI_SECURE_INPUT_09_VERIFY_SSN = "txt_sdi_secure_input_09_verify_ssn"
```

? SDI_SECURE_INPUT_0A_VERIFY_LAST_4_OF_SSN

```
const char SDI_SECURE_INPUT_0A_VERIFY_LAST_4_OF_SSN =  
"txt_sdi_secure_input_0a_verify_last_4_of_ssn"
```

? SDI_SECURE_INPUT_0B GRATUITY_AMOUNT

```
const char SDI_SECURE_INPUT_0B_GRATUITY_AMOUNT = "txt_sdi_secure_input_0b_gratuity_amount"
```

? SDI_SECURE_INPUT_0C_GRATUITY_PERCENTAGE

```
const char SDI_SECURE_INPUT_0C_GRATUITY_PERCENTAGE =  
"txt_sdi_secure_input_0c_gratuity_percentage"
```

? SDI_SECURE_INPUT_0D_CASHBACK_AMOUNT

```
const char SDI_SECURE_INPUT_0D_CASHBACK_AMOUNT =  
"txt_sdi_secure_input_0d_cashback_amount"
```

? SDI_SECURE_INPUT_0F_EMAIL_ADDR

```
const char SDI_SECURE_INPUT_0F_EMAIL_ADDR = "txt_sdi_secure_input_0f_email_addr"
```

? SDI_SECURE_INPUT_10_PHONE_NBR

```
const char SDI_SECURE_INPUT_10_PHONE_NBR = "txt_sdi_secure_input_10_phone_nbr"
```

? SDI_SECURE_INPUT_FC_CARD_NUMBER

```
const char SDI_SECURE_INPUT_FC_CARD_NUMBER = "txt_sdi_secure_input_fc_card_number"
```

? SDI_SECURE_INPUT_FD_EXPIRY_DATE

```
const char SDI_SECURE_INPUT_FD_EXPIRY_DATE = "txt_sdi_secure_input_fd_expiry_date"
```

? SDI_SECURE_INPUT_FE_MANUAL_CARD_ENTRY_WITHOUT_CVV

```
const char SDI_SECURE_INPUT_FE_MANUAL_CARD_ENTRY_WITHOUT_CVV =  
"txt_sdi_secure_input_fe_manual_card_entry_without_cvv"
```

? SDI_SECURE_INPUT_FF_MANUAL_CARD_ENTRY

```
const char SDI_SECURE_INPUT_FF_MANUAL_CARD_ENTRY =  
"txt_sdi_secure_input_ff_manual_card_entry"
```

? SDI_SEE_PHONE

```
const char SDI_SEE_PHONE = "txt_sdi_see_phone"
```

? SDI_SEL_COM_IF

```
const char SDI_SEL_COM_IF = "txt_sdi_sel_com_if"
```

? SDI_SELECT_APPLICATION

```
const char SDI_SELECT_APPLICATION = "txt_sdi_select_application"
```

? SDI_SIGNATURE

```
const char SDI_SIGNATURE = "txt_sdi_signature"
```

? SDI_SWIPE_CARD

```
const char SDI_SWIPE_CARD = "txt_sdi_swipe_card"
```

? SDI_SWIPE_CARD_FALLBACK

```
const char SDI_SWIPE_CARD_FALLBACK = "txt_sdi_swipe_card_fallback"
```

? SDI_SWIPE_TAP_CARD

```
const char SDI_SWIPE_TAP_CARD = "txt_sdi_swipe_tap_card"
```

? SDI_TAP_CARD

```
const char SDI_TAP_CARD = "txt_sdi_tap_card"
```

? SDI_THOUSAND_SEPARATOR

```
const char SDI_THOUSAND_SEPARATOR = "thousand_separator"
```

? SDI_TRX_TYPE_CASH_ADVANCE

```
const char SDI_TRX_TYPE_CASH_ADVANCE = "txt_sdi_trx_type_cash_advance"
```

? SDI_TRX_TYPE_CASHBACK

```
const char SDI_TRX_TYPE_CASHBACK = "txt_sdi_trx_type_cashback"
```

? SDI_TRX_TYPE_PURCHASE

```
const char SDI_TRX_TYPE_PURCHASE = "txt_sdi_trx_type_purchase"
```

? SDI_TRX_TYPE_REFUND

```
const char SDI_TRX_TYPE_REFUND = "txt_sdi_trx_type_refund"
```

? SDI_USE_CHIP_READER

```
const char SDI_USE_CHIP_READER = "txt_sdi_use_chip_reader"
```

? SDI_USE_MAG_STRIPE

```
const char SDI_USE_MAG_STRIPE = "txt_sdi_use_mag_stripe"
```

? SDI_VOICEAUT

```
const char SDI_VOICEAUT = "txt_sdi_voiceaut"
```

? sdiTextMappingTable

```
const char * sdiTextMappingTable
```