



https://verifone.cloud/docs/application-development-kit-version-47/madk_pp_protocol_8h_source

Updated: 07-Oct-2025

madk_pp_protocol.h

[Go to the documentation of this file.](#)

```
1Â /*****  
<vector> 10Â #include <string> 11Â #include <pthread.h>  
12Â 14Â struct mADK_PP_Prot_Loader; 16Â struct ProtStatus; 17Â struct  
<unsigned char>  
cmdbuf; 50Â char prot_type; 52Â unsigned msg_id; 53Â unsig  
<unsigned char>  
log_chunk_buf; 124Â void registerAdkLogCallback(void *handle, char protTyp  
<unsigned char>  
&cmd, int timeout_msec); 183Â 190Â bool _send(void *handle, const unsig  
<unsigned char>  
&cmd, int timeout_msec = -1); 229Â 238Â bool abort(); 239Â 251Â  
<unsigned char>  
&cmd) 255Â { 256Â return send(cmd.size() > 0 ? &cmd[0] : 0, cmd.siz  
<unsigned char>  
&cmd) 292Â { 293Â return request(cmd.size() > 0 ? &cmd[0] : 0, cmd.  
<unsigned char>  
&response, int timeout_msec = -1); 309Â 333Â bool set_busy(bool flag, b
```