

https://verifone.cloud/docs/portal/reports/transaction-reports/report-columns

Updated: 24-Oct-2025

Reporting Details

The reporting page provides merchants with comprehensive details regarding each <u>order / transaction</u> that takes place in the account. The orders / transactions <u>data</u> from the reporting page can be viewed and analyzed using specific keywords or filters or reports can be exported in CSV file.

Below are definitions for all of the orders / transaction detail fields available in Verifone Central.

Field Name	Definition (region specific)
Account Type	Type of the account used for the payment (credit/debit).
Acquirer	Type indicator to identify the acquirer of the payment.
Acquirer Account Type	A field that indicates how the transaction was processed by the acquirer (it can be either debit or credit).
Acquirer Merchant ID	Identifier assigned to the merchant and known by the acquirer (it is not supported by all the acquirers).
Acquirer Response Code	Acquired response code.
Acquirer Settlement ID	An identifier given to a settlement by the acquirer.
Actions	The available actions per transaction.
ARN	Acquirer Reference Number is the transaction ID set by the acquirer. It is usually used when communicating to banks and schemes.
Authorization Date Time	The date returned in the authorization response message.
Authentication mode	Authentication method.
Authentication value	Unique value assigned by the Issuer to distinguish the 3DS transaction. Is it similar to the authorization code, but for 3DS.
Authorization Code	Value assigned by the acquirer for specific authorized transactions.
AVS Outcome	Text that informs of the outcome of a requested shopper address validation.
Batch Created	Date of the batch creation.
Batch File Number	Internal identifier assigned to the settlement file sent for batch settlement to the acquirer.
Batch Number	Batch or settlement date as assigned by the payment acceptor (in most cases Verifone) for the POI or merchant. This is not the same as the batch that can be assigned by the acquirer.
Capture Status	Identifier that indicates whether the transaction resulted in the capture of the authorization.

Field Name	Definition (region specific)
Cashback Amount	A part of the purchase price returned to the customer as a reward or incentive in a payment transaction
Cashier Name	Name of the cashier who created the transaction (not used for all the providers).
Cashier ID	ID of the cashier who created the transaction (not used for all the providers).
Cardholder choice	Brand choice.
Card Expiry Month	A 2 digit value displayed on the card indicating the month when the card will expire.
Card Expiry Year	A 4 digit value displayed on the card indicating the month when the card will expire.
Card Number	Primary account number or card number. Displayed in a masked format
Card Token	Identifier associated with the payment card that allow to search data related to that payment card in a safe way.
Challenge indicator	Indicator that determines if the issuer request challenge the cardholder.
Channel	Sales channel of the transaction (eCommerce, mail, POS).
Charitable donation	A voluntary contribution made by a person or organization to a charitable cause or nonprofit organization in a payment transaction.
Cheque Account Number	The masked cheque holder's account number.
Cheque Number	The cheque sequence number.
Customer Billing City	Shopper's billing city.
Customer Billing Country Code	Shopper's country code.
Customer Billing First Name	Shopper's first name as displayed in the address.
Confirm Date Time	Identifier that indicates the transaction capture date and time.
Contract ID	An identifier used to identify a contract from a merchant perspective. As this may not be unique across gateways or acquirers, the UUID is used as the surrogate key.
Created	Date of transaction.
Creation date time	Date and time when the transaction has made.
Credit Term	Terms under which the transaction is performed.
Cross border fee	Cross border fee; a fee taken for processing cross boarder (when a payment card of a cardholder and a merchant are located in different countries) transactions.
Currency	Currency of the transaction.
Currency	(Only for Westpac acquirer)
Conversion ID	An unique identifier of the currency conversion operation.
Current Amount/ Transaction amount	Current amount of the transaction (after some actions). Also mapped as <i>Transaction amount</i> , which can be found under the <i>Fee Details</i> in the <i>Details</i> section.
Customer App Phone Number	The phone number to be used for the contact. If you include this property there should be at least one phone number.
Customer ID/Payer ID	Identifier as a string for the customer. This is for the Verifone defined customer ID e.g from the customer service. The field is termed as <i>Customer ID</i> in the <i>Customer Information</i> section and as <i>Payer ID</i> in the <i>Details</i> tab of the transaction side-menu.

Field Name	Definition (region specific)
CVV Result	The result of a Card Verification Value check. The CVV or CVV2 are not stored, only an indicator to the result is captured after the verification.
DCC Accepted	(Only for Westpac acquirer)
	Indicates if the cardholder has accepted the currency conversion that has been offered.
DCC Amount	(Only for Wynid processor / Westpac acquirer)
	The amount of the transaction in the local currency before it was converted to the cardholder's currency.
DCC Currency	(Only for Wynid processor / Westpac acquirer)
	A currency used during a currency conversion operation.
Device ID	Identifier used by an Estate Management System.
(Device) Serial Number	A value to indicate the device serial number.
Electronic Commerce Indicator	It indicates the level of authentication that was performed during an electronic commerce (eCommerce) transaction. Each ECI value represents different authentication outcomes or levels of security.
Enrolled	Card enrolled for 3DS.
Email	Shopper email.
Exchange rate	(Only for Wynid processor / Westpac acquirer)
	The rate used to convert the local amount into the cardholder's currency at the time of the transaction.
External Merchant ID	Merchant ID in the client's system (used by WoodForrest).
Fraud score	The fraud score returned by the Fraud Protection Service.
Fraud Reason Insights	The list of reasons for the fraud score.

Field Name	Definition (region specific)
Funding source	This indicates the type of account linked to a payment card. It helps identify where the money comes from when the card is used. Possible Types:
	 CHARGE: Requires the full balance to be paid off monthly (no credit limit). CREDIT: Linked to a credit account, allowing the cardholder to borrow money. DEBIT: Linked to a bank account, using available funds directly. PREPAID: Preloaded with money, usable until the balance runs out. UNIVERSAL: A multi-purpose card that may combine features of different types. UNKNOWN: The type of funding is not identified.
Gratuity amount	A optional additional payment made by a customer to a service provider as a token in a payment transaction.
Invoice number	Identifier of the invoice created for a transaction.
IP Address	IP Address where the event originated.
Merchant ID	Identifier assigned to the merchant and known by the merchant or client, whether this is an external client, Client System or gateway, i.e., this field is for the MID used internally by VF.
Merchant Present	Identifier which signals whether the merchant was present or not during the transaction.
Merchant reference	Merchant reference* is a value (up to 50 characters) that is assigned by the merchant in each transaction for their own identification. (*In the CSV report use the merchant_reference column, as the <i>Merchant Reference</i> column is deprecated)
Markup Fee	(Only for Westpac acquirer)
	Commission or markup when converting an amount between 2 currencies.
Markup Rate	(Only for Westpac acquirer)
	The amount of markup or commission expressed as a multiplier that was added to the exchange rate as part of a currency conversion.
Message No	A number assigned by a transaction initiator (originator) to assist in identifying a transaction uniquely.
Name	Shopper full name.
Organization	Organization name

Name Shopper full name.
Organization Organization ID Organization ID.

Orig. Amount/

amount

Total transaction Total transaction amount, which can be found under the Fee Details in the Details section.

Initial amount of the transaction. Also mapped as Total Transaction amount, which can be found under the Fee Details in the Details section.

Orig.amount currency code Transaction payment currency.

Field Name	Definition (region specific)
Payment Account Reference	A unique non-sensitive reference to the cardholder PAN (Payment Account Number).
Pre-Currency conversion amount	(Only for Wynid processor / Westpac acquirer)
	The amount of the transaction in the local currency before it was converted to the cardholder's currency.
Processor	Type indicator to identify the processor of the payment.
Product	Payment method used to place the order.
Provider reference	Type indicator for the contract that is being processed.
Provider transaction ID	Transaction ID generated by the provider.
Reason code	The reason code for the transaction status.
Reference	Unique ID of the transaction, generated by the acquirer's system.
Refund/Amount Description	Flexible identifier that can be used to represent various types of amount descriptions, providing clarity for different transaction values. Example : if a refund is done in Verifone Central and a refund note is added, the same note will appear in the <i>Description</i> field under the <i>Transaction details</i> section.
Refusal Code	A numeric value related to the <i>Refusal reason</i> in the transaction request.
Refusal reason	The reason a transaction has been refused within the payment ecosystem by the client/Verifone/acquirer. This reason is set by the component that is refusing this transaction request.
Response	Response received from the acquire.
Response Code	Description of the response received from the acquirer.
Reuse Token ID	A reusable token issued by Verifone or a third-party that is used to represent previously stored cardholder data.
Reuse Token Context	Any setup that uses a token to make a transaction secure. This will filter transactions according to the following token contexts: Stored Credentials (token used in the stored credential context), Tokenization (token requested in the non-stored credential context) or Instrument (token used as an instrument).
RRN	Retrieval Reference Number, may be used as reference against acquirers.
Sales Identifier	An external identifier from the POS or third-party for the transaction. Also known as <i>Customer Transaction Reference</i> or <i>third party reference</i> .
Scheme Identifier	Identifier sent by the acquirer in the authorization response message, and sent in a subsequent authorization request messages associated with the same transaction.
Scheme Reference ID	Data typically used in stored credential transactions.
Scheme Transaction ID	Transaction ID assigned by the schemes for 3DS authentication.
Settlement amount	Calculated amount to be settled, cross border fee is deducted if applicable. Only a few processor supports this field.
Settlement Batch ID	Identifier assigned to a settlement batch.
C 41 4 1 4	

Settlement date

Settlement date.

Field Name Definition (region specific)

Shipping address Shopper shipping address.

Shipping

Information City

Shopper shipping city.

Shipping

Information Country

Shopper shipping country.

Shopper Interaction Type of software/hardware interface from which payment has been made.

Shipping

Information Postal

Shipping address post code.

Code

Shipping

Information State

Shopper shipping state.

Site Reference An identifier for the site that is unique to the merchant organization. It is used to locate

the instance of a site.

State Displays details on the current transaction state.

Status Status of the transaction.

Status (3D Secure

Authentication)

Status of the 3DS check (e.g., successful authentication, failed authentication, etc.).

Verification method for API calls. Verification is done through a number that is assigned

STAN by a counter in the gateway (or the terminal) to identify the uniqueness against acquirers.

The length of STAN will depend upon acquirer.

Stored Credential

Type

Flag

A signup or enrolment request for the stored credentials. A subsequent charge request for

the stored credentials, related to a previous signup.

Subscription ID Identifier of the subscription or agreement in the payment provider's system.

Surcharge fee Processing fees or additional costs applied to customers, included in the original purchase

price.

Tax Amount The amount of tax to be paid on the purchase.

Technology Entry mode (breakdown of cards like mag stripe, chip insert or contactless).

Terminal ID Identifier assigned to POI and known by the merchant or client, whether this is an

external client, Client System or gateway.

Transaction fee Fees applicable for the transaction.

Transaction ID ID of the transaction.

Transaction Online Identifier that specifies if the transaction was submitted online or was captured offline and

subsequently submitted to the processor or acquirer.

Transaction type Type of the transaction. See more in Transaction Types and Statuses.

3D Secure Version Version of 3DS.

User agent The full user agent string of the device the customer used to submit the transaction.

Wallet that was used to initiate the transaction (eg. Google Pay, Apple Pay, Vipps,

Wallet Wallet that was MobilePay etc).

XID Transaction ID assigned for 3DS1.0.2 transactions.