

## Verifone X990


### Overview

The Verifone X990 is a thin, lightweight, portable smart device featuring the latest Verifone Android 10.x operating system. Benefits from uncompromised security and platform scalability for seamless system integrations that meet your business needs. Equipped with the fastest mobile 4G communications, the X990 stays connected to your business, your customers, and your service providers while the rich software platform enables the creation of revenue-building applications like loyalty, couponing, inventory management, online bookings, and more.

### Benefits

- 1D/2D Barcode scanner, front, and rear cameras perfect for scanning QR codes and coupons
- Supports third-party applications
- Long battery life and standby time
- Flexible connectivity options including 4G LTE, WiFi, and Bluetooth®

Read more details regarding the [specifications](#) for this device.



<b>Features</b>	<b>Description</b>
<b>Display</b>	5.5" Color   Capacitive Touch Screen   LED Backlight
<b>Memory</b>	1GB RAM, 8GB Flash   Optional 2GB RAM, 16GB ROM Flash
<b>Processor</b>	Quad Core CortexA53, 1.4GHz
<b>Operating System</b>	V/VOS3 or AVOS based on Android 10.x
<b>Card Readers</b>	Triple Track Mag Stripe   EMV L1, L2 Approved Smart Card
<b>Contactless</b>	ISO 14443 A&B   MiFare   PayPass   QuickPass   Visa payWave
<b>Connectivity</b>	4G LTE   Bluetooth® v4.2   Compatible w/ 2G/3G   WiFi
<b>Camera   Barcode Scanner</b>	Auto-focus   Flashlight   Front: 0.3MP CMOS   Rear: 5MP CMOS
<b>Printer</b>	25 Ips   40mm Paper Roll
<b>Power</b>	Battery: 7.2V, 2600mAh   Frequency: 50/60Hz   Input: 100 240 VAC   Output: 5V DC, 2amp   Wired: USB-C
<b>Physical</b>	193mm L x 84mm W x 64mm H   Weight: 420g
<b>Environmental</b>	Operating Temperature: 10° to 50°C (14° to 122°F)   Storage Temperature: 20° to 70°C (4° to 158°F)   Relative Humidity: 5% to 90%, Non-condensing
<b>Security</b>	PCI 6. x Approved
Certifications	EMV L1/L2, PayPass/PayWave, JCB/ExpressPay/D-Pas/UPI, TQM
<b>Card Slot</b>	SIMx1+SAMx2 or SIMx2+SAMx1
Interface	USB Type C
Options	Capacitive Fingerprint   Facial Recognition 3D Camera   ETH/USB/RS232 Via Full Feature Base  Atex Certified

