



VeriFone, Inc.  
1-800-Verifone  
www.verifone.com

## UX301 Certifications and Regulations

### Electrical

The reference input power rating for the UX301, UX301-MDB, UX301-STD is 9V DC to 43V DC.

### External Power Supply

UX series are intended to be provided with a listed power supply module which is evaluated as a Limited Power Source or PS2 or equivalent and has an output rating as follows:  
For UX301-STD, 9 - 43V DC, 3.75 - 0.86A. For UX301-MDB, 9 - 43V DC, 2.5 - 0.58A.

### Location – Electrical Considerations

**WARNING!** This device contains sensitive electronic components that can be permanently damaged if exposed to excessive shock, electrical interference or vibration.

**AVERTISSEMENT!** Cet appareil contient des composants électroniques sensibles qui peuvent être endommagés de façon permanente si elle est exposée à des chocs excessifs, des interférences électriques ou des vibrations.

**CAUTION:** Due to the risk of electrical shock or unit damage, do not use the unit near water, including a bathtub, washbowl, kitchen sink or laundry tub, in a wet basement, or near a swimming pool. Also, avoid using this product during electrical storms. Avoid locations near electrical appliances or other devices that cause excessive voltage fluctuations or emit electrical noise (for example, air conditioners, neon signs, high-frequency or magnetic security devices, or electric motors).

**ATTENTION:** Du fait d'un risque d'électrocution ou d'une détérioration du terminal, ne pas utiliser cet équipement près d'une source d'eau, par exemple près d'une baignoire, d'un lavabo, d'un évier de cuisine ou d'un bac de lavage, dans un sous-sol humide ou à proximité d'une piscine. De même, éviter d'utiliser ce produit lors des orages provoquant des coupures électriques. Éviter de placer le terminal à proximité d'appareils électriques ou autres unités pouvant entraîner des fluctuations de tension importantes ou des interférences électriques, tels que les climatiseurs, enseignes au néon, dispositifs de sécurité à haute fréquence ou équipements électriques.

### Equipment

### Repairs

Do not, under any circumstances, attempt any service, adjustments, or repairs on this equipment. Instead, contact your local Verifone distributor or service provider for assistance. Failure to comply may void the product warranty.

### Damage

Carefully inspect the shipping carton and its contents for any damage. If the unit or any product component appears damaged or to have been tampered with, immediately notify the shipping company and your Verifone distributor or service provider. Do not use a UX301 unit that has been tampered.

### Cleaners and Solvents

Never use thinner, trichloroethylene or ketone-based solvents to clean the UX301 device, these may deteriorate plastic or rubber parts. For best results, use a clean cloth dampened with water and mild soap. To remove stubborn stains, use alcohol or an alcohol-based cleaner.

### Notice for Operating Frequency and Output Power

NFC: -19.62 dB µA/m at 10m

### Coin Cell Instruction

Dispose of the coin cell in accordance with all national, state, and local laws and regulations as regionally required. Some batteries may be recycled and may be accepted for disposal at local recycling centers.

**CAUTION:** There is a risk of explosion if the battery is replaced by an incorrect type.

**ATTENTION:** Il existe un risque d'explosion si la batterie est remplacée par un modèle incompatible.

- Disposal of a battery into fire or a hot oven or mechanically crushing or cutting of a battery can result in an explosion.
- Leaving a battery in an extremely high temperature surrounding environment can result in an explosion or the leakage of flammable liquid or gas.
- A battery subjected to extremely low air pressure may result in an explosion or the leakage of flammable liquid or gas.

### Notice for Hazardous Locations

The device is suitable for use in Class 1, Division 2, group hazardous locations, or non-hazardous locations only.

**WARNING!** Explosion hazard:

- Do not disconnect the equipment while the circuit is live or unless the area is known to be free of ignitable concentrations.
- Substitution of any component may impair suitability for Class 1, Division 2.

### FCC/ISED Compliance

The following product has been tested and certified as compliant with the regulations and guidelines detailed below:

Manufacturer: VeriFone, Inc.  
Brand: Verifone  
Model: UX301, UX301-MDB, UX301-STD

### Part 15 of FCC Rules and ISED Notice

This device complies with the limits for a Class B digital device as specified in Part 15 of FCC Rules and Innovation, Science and Economic Development Canada license-exempt RSS standard(s) which provide reasonable protection against harmful interference in a residential installation. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference.
- (2) This device must accept any interference received, including interference that may cause undesired operation.

This equipment generates and uses radio-frequency energy, and if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. In the unlikely event that there is interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by doing any of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device and its antenna(s) must not be co-located or operating in conjunction with any other antenna or transmitter. Use of a shielded interface cable is required to comply with the Class B limits of Part 15 of FCC Rules. Any changes or modifications to this equipment not expressly approved by Verifone could void the user's authority to operate this equipment.

*Le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:*

- (1) L'appareil ne doit pas produire de brouillage.
- (2) L'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

*Cet appareil et son antenne ne doivent pas être situés ou fonctionner en conjonction avec une autre antenne ou un autre émetteur, exception faites des radios intégrées qui ont été testées.*

This Class B digital apparatus complies with CAN ICES-003 (B).  
Cet appareil numérique de la classe B est conforme à la norme NMB-003 (B) du Canada.

### RF Exposure

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. To comply with Council Recommendation Radio Equipment 2014/53/EU, UK Radio Equipment Regulations 2017 SI 2017/1206, ISED RSS-102 and FCC RF exposure requirement, a minimum separation distance of 20 cm must be maintained between the user's body and the device, including the antenna. Conditions that do not meet these requirements may not comply with Council Recommendations 2014/53/EU, UK Radio Equipment Regulations 2017 SI 2017/1206, ISED RSS-102, and FCC RF exposure requirements and should be avoided.

*Cet équipement est conforme aux limites FCC d'exposition aux radiations définies pour un environnement non contrôlé. Pour se conformer à la Recommandation du Conseil 2014/53/EU, UK Règlement sur les équipements radio 2017 SI 2017/1206, ISED RSS-102, et l'exigence d'exposition RF de la FCC, une distance minimale de séparation de 20 cm doit être maintenue entre le corps de l'utilisateur et le dispositif, y compris l'antenne. Des conditions qui ne répondent pas à ces exigences peut ne pas se conformer à Recommandations du Conseil 2014/53/EU, UK Règlement sur les équipements radio 2017 SI 2017/1206, ISED RSS-102, et FCC RF exigences d'exposition et doit être évitée.*

### Recycling: DO NOT DISCARD!

UNIT MUST BE RECYCLED OR DISPOSED OF PROPERLY.  
For proper disposal instructions, go to <http://recycle.verifone.com/>

Please retain this sheet for future reference.

continued on rear cover

### Recyclage: NE PAS JETER!

L'unité doit être recyclée ou mise au rebut dans les endroits prévus à cet effet.  
Pour connaître les procédures de mise au rebut, consultez le site <http://recycle.verifone.com/>

À conserver pour référence ultérieure.

suite au verso



### UX301 Certifications and Regulations

Verifone Part Number: DOC159-024-EN-D, Revision D05



# UX301 Declaration of Conformity



## DECLARATION OF CONFORMITY

according to EN ISO/IEC 17050-1 and 17050-2

This declaration of conformity is issued under the sole responsibility of the manufacturer.

**Manufacturer's Name** VeriFone, Inc.  
**Manufacturer's Address** VeriFone, Inc.  
1400 West Stanford Ranch Road  
Suite 150 Rocklin, CA 95765

Declares, that the product

**Product Name:** UX301  
**Model Number:** UX301-STD, UX301-MDB  
**Part Number:** M159-301-XXX-XXX  
**NB Company Name:** Intertek Semko AB  
**NB Company Number:** 0413  
**Certificate Number:** SE-RED-2500769 Ed.1  
**Brand:** Verifone  
**Product Options:** All

Conforms to the following product specifications:

|   |  |
|---|--|
| <b>Health and Safety (Article 3.1 (a) of the RE Directive):</b>             | IEC 62368-1:2014                         |
|   | EN 62368-1:2014 + A11:2017               |
|   | IEC 62368-1:2018                         |
|   | EN IEC 62368-1:2020 + A11:2020           |
|   | EN 62311:2008                            |
| <b>Electromagnetic Compatibility (Article 3.1 (b) of the RE Directive):</b> | EN 55032:2015 + A11:2020, Class B        |
|   | EN 61000-3-2:2014, Class A               |
|   | EN IEC 61000-3-2:2019 + A1:2021, Class A |
|   | EN 61000-3-3:2013                        |
|   | EN 61000-3-3:2013 + A2:2021              |
|   | EN 55035:2017 + A11:2020                 |
| <b>Radio Frequency (Article 3.2 of the RE Directive):</b>                   | EN 301 489-1 V2.2.3                      |
|   | EN 301 489-3 V2.1.1                      |
|   | EN 300 330 V2.1.1                        |
| <b>Cybersecurity (Article 3.3 d/ef of the RE Directive):</b>                | EN 18031-1:2024                          |
|   | EN 18031-2:2024                          |
|   | EN18031-3:2024                           |

We hereby declare that these devices comply with the requirements of the Radio Equipment Directive 2014/53/EU. These products carry the CE Mark per Directive 93/68/EEC, and conform to RoHS Directive 2011/65/EU, and delegated Directive (Annex II) 2015/863/EU, as well as Technical Documentation: EN IEC 63000:2018 and DIN EN IEC 63000:2018.

CE Approval Date: August 01, 2025

Robert Visger  
EVP, Global Operations,  
817 Broadway, Suite 1100  
New York, NY 10003, USA

European contact for regulatory topics only:

Verifone GmbH  
Seilerweg, 2F, Bad Hersfeld  
36251, Germany

# UX301 Declaration of Conformity



## DECLARATION OF CONFORMITY

according to EN ISO/IEC 17050-1 and 17050-2

This declaration of conformity is issued under the sole responsibility of the manufacturer.

**Manufacturer's Name** VeriFone, Inc.  
**Manufacturer's Address** VeriFone, Inc.  
1400 West Stanford Ranch Road  
Suite 150 Rocklin, CA 95765

Declares, that the product

**Product Name:** UX301  
**Model Number:** UX301-STD, UX301-MDB  
**Part Number:** M159-301-XXX-XXX  
**Brand:** Verifone  
**Product Options:** All

Conforms to the following product specifications:

|                                       |   |
|---------------------------------------|---|
| <b>Health and Safety:</b>             | BS EN 62368-1:2014 + A11:2017               |
|                                       | BS EN IEC 62368-1:2020 + A11:2020           |
|                                       | EN 50364:2010                               |
|                                       | EN 62311:2008                               |
| <b>Electromagnetic Compatibility:</b> | BS EN 55032:2015 + A11:2020, Class B        |
|                                       | BS EN 61000-3-2:2014, Class A               |
|                                       | BS EN IEC 61000-3-2:2019 + A1:2021, Class A |
|                                       | BS EN 61000-3-3:2013                        |
|                                       | BS EN 61000-3-3:2013 + A2:2021              |
|                                       | BS EN 55035:2017 + A11:2020                 |
| <b>Radio Frequency:</b>               | EN 301 489-1 V2.2.3                         |
|                                       | EN 301 489-3 V2.1.1                         |
|                                       | EN 300 330 V2.1.1                           |

We hereby declare that these devices comply with the requirements of the Radio Equipment Regulations 2017 (S.I. 2017/1206). These products carry the UKCA Mark, and conform to the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (S.I. 2012/3032).

UKCA Approval date: July 12, 2022

Robert Visger  
EVP, Global Operations,  
817 Broadway, Suite 1100  
New York, NY 10003, USA

UK contact for regulatory topics only:

VeriFone (U.K.) Limited  
1 Mondial Way, Harlington,  
Hayes UB3 5AR, UK